





BESSEY Clamping- and Cutting Technology

Pricelist 2022/2023



**From June 1, 2022,
a surcharge of 4.6 %
will apply**

Prices valid from April 1st, 2022

Table of contents

A	
Adapter for multifunction tables STC-SET-T20	20
Adapter for multifunction tables STC-SET-T20	28
All-steel screw clamp classiX GS with tommy bar	12
All-steel screw clamp classiX GS with tried-and-tested wooden handle	11
All-steel table clamp GTR	24
All-steel table clamp GTRH with lever handle	24
Aluminium mini clamp AM	24
American pattern snips D146	38
Angle clamp WS	25
Angle clamp WS	26
Angled combi snips D48A	39
Angled combi snips D48A-2	38
Angle door frame straightening clamp WTR	29
Area pressure clamps FK	21
Aviation snips D16	34
Aviation snips D16L	34
Aviation snips D16S	35
Aviation snips display D16S-D	35
B	
Band clamp BAN 400	25
Band clamp BAN 700	25
BAS-CB compact clamp, fixing hole closed	19
BAS-C compact clamp, fixing hole open	18
Base unit BASO	19
NEW Bench dog for multifunctional tables BH-MFT	27
Berlin pattern snips D202/D102	37
Box clamp KS	22
C	
Cable cutters D49	39
Cable cutters D49-2	39
C-clamp CDF-C	16
C-clamp SC	16
C-clamp VC	15
NEW Ceiling tripod attachment STE-DS	31
C-frame edge clamp KT	26
C-grip GRZC	16
NEW Clamping element for multifunction tables TW-KLI	28
Clamping element with fixed throat depth TW	17
Clamping element with fixed throat depth TW	27
Clamping element with gripping arm TW28GRS	18
Clamping element with special pressure plate TWM28	17
Clamping element with variable throat depth TWV	17
Clamping element with variable throat depth TWV	27
Clamp trolley ZW 1	32
Clamp trolley ZW 2	32
Claw clamp GRA	14
Claw machine clamp GRS	19
NEW Combi-bag for ceiling supports STE-BAG	31
Combinox D50	38
Complete sliding arm for GSV sizes	15
Complete sliding arm for SLV sizes	15
NEW Construction tripod STE-BS	31
Corner seaming and clinching pliers D335	42
D	
Deep throat clamp TGNT with tried-and-true wooden handle	10
Deep throat screw clamp TGNT with tommy bar	10
Die-cast zinc screw clamp LM	23
Display, unstocked DVK	38
Display, unstocked DVK2	38
Door frame assembly device TMS	29
Door frame brace extension TUX	29
Door frame clamp set TU-TRAGE	29
Door frame clamp TU	28
Door frame straightening clamp TFM	29
E	
Earth (ground) clamp CP	16
Earth (ground) clamp LP / TP with thumb screw	16
Earth (ground) clamp LP / TP with tried-and true wooden handle	16
Earth (ground) clamp TP with tommy bar	16
Edge clamp Kantenfix KF	26
Edge clamp KT	17
Edge clamp KT	26
Electricians' scissors D53	40
Extension TWX	18
F	
Fitters' clamp classiX GSL	14
Fitters' clamp SLM	13
Flat-nosed pliers for sheet metal work D301	42
Flooring and clamping system SVH/SVG	30
Folding pliers D355	42
Folding utility knife DBK-EU	39
Framing set KP	21
G	
GearKlamp GK	22
GSV size rails	15
Gutter support bowing pliers open shap D396	43
H	
Heavy duty malleable cast iron screw clamp TGKR with tried-and-true wooden handle	9
Heavy duty malleable cast iron screw clamp TGK with 2-component plastic handle	6
Heavy duty malleable cast iron screw clamp TGK with tommy bar	8
Heavy duty malleable cast iron screw clamp TGK with tried-and-true wooden handle	7
Heavy duty malleable cast iron screw clamp TKPN with tried-and-true wooden handle	9
High-performance clamp classiX GSM	14
High-performance clamp SGM	13
High-performance clamp SGMT, large throat depth	13
High-performance clamp STBM	13
High-performance clamp STBS	13
High-performance clamp STBVC	13
High-tech lever clamp KliKlamp counter display KLI-D	23
High-tech lever clamp KliKlamp KLI	23
High-tech lever clamp KliKlamp set in systainer KLI-S	23
Hold down table clamps BS	19
Hold down table clamps BSG	19
NEW Horizontal fixture clamp WNS-SET-MFT	27
Horizontal toggle clamp with open arm and horizontal base plate STC-HH ..	20
Household and dressmakers' shears D840	40
HSS punch snips D407	35
HSS shape and straight cutting snips D27AH	35
HSS shape and straight cutting snips D416	36
HSS shape and straight cutting snips HSS D416-280L	36
HSS-TiN shape and straight cutting snips D27AH-TiN	35
I	
Ideal snips, manoeuvrable D08	34
Industrial and professional shears D860	41
J	
Jewellers' snips D70/D71	40
Jewellers' snips D72	40
Jewellers' snips D74/D75	40
Jewellers' snips D76	40
K	
K Body parallel clamp extender KBX	21
K Body REVO parallel clamp KRE	21
Knife-set DBKPH-SET	39
KombiKlamp SG-VAD	14
L	
Lever clamp classiX GSH	13
Lever clamp GH	12
Lever clamp SGHS, heavy duty	12
Light duty bar clamp U-style LMU	23
Lightweight parallel clamp UK UniKlamp	21
M	
Malleable cast iron screw clamp TGRC with tried-and-true wooden handle ..	9
Malleable cast iron screw clamp TPN with 2-component plastic handle	8
Malleable cast iron screw clamp TPN with tried-and-true wooden handle ..	8
Mini-folding pliers D331-22/D341-22	42
Mini Vice S 10	24
Mitre clamping system MCX	26
Multi angle pad VAD (2 pcs./bag)	17
NEW Multi-function/laser fixture STE-LH	31
Multi-purpose cutters D47-2/D48-2	38
Multi-purpose cutters D47/D48	39
Multi-purpose shears D820	40
Multi-purpose shears D821	40
MULTISNIP Longstyle D22A	34
MULTISNIP Master D51A	38
Multitool DBST	40

N	
Needle nose spring clamp Clippix XCL.....	25
O	
OMEGA screw clamp GMZ with 2-component plastic handle.....	12
OMEGA-screw clamp GMZ with tommy bar.....	12
One-handed clamp DuoKlamp DUO.....	22
One-handed clamp EHZ with 2-component handle.....	22
NEW One-handed clamp EZ.....	22
One-handed clamp EZS.....	22
One-handed edge clamp EKT.....	26
NEW One-handed table clamp EZR.....	24
Original BESSEY all-steel screw clamp GZ with 2-component plastic handle.....	10
NEW Original BESSEY all-steel screw clamp GZ with swivel handle.....	11
Original BESSEY all-steel screw clamp GZ with tommy bar.....	11
Original BESSEY all-steel screw clamp GZ with tried-and-tested wooden handle.....	11
Original BESSEY malleable cast iron screw clamp TG with 2-component plastic handle.....	6
Original BESSEY malleable cast iron screw clamp TG with tommy bar.....	7
Original BESSEY malleable cast iron screw clamp TG with tried-and-true wooden handle.....	7
P	
Panel carrier KFP.....	26
Paperhangers' and paper shears D853.....	41
Parallel grip GRZ.....	16
Parallel screw clamp PA.....	24
Pelican snips D218/D118.....	36
Pipe clamping set BPC.....	29
Pipe grip GRZRO.....	16
Pipe-pulling pliers D36.....	43
Pressure cap strips SKS (2 pcs./bag).....	7
Pressure cap strips SKS (2 pcs./bag).....	11
Pressure cap strips SKS (2 pcs./bag).....	12
Pressure piece GRD (2 pcs./bag).....	14
Punch snips D207/D107.....	37
Punch snips with curved blades D208.....	37
Push/pull clamp with horizontal base plate STC-IHH.....	20
R	
Rafter clamp SPZ.....	22
NEW Ratchet clamp XCR.....	25
Replacement contact surface.....	31
Round nosed pliers D311.....	42
S	
Safety strap cutter D123S.....	41
Sash clamps TAN with I-profile 80 x 42 x 3.9 mm.....	29
Sash clamps TB with T-profile 40 x 40 x 5 mm.....	29
Sash clamps TL, light with I-profile 37 x 11 x 4.5 mm.....	29
Seaming and clinching pliers D33/D34/D35.....	41
Seaming and clinching pliers D33-P/D34-P/D35-P.....	42
Seaming tool PS 55.....	28
Seaming tool PS 130, big and strong.....	28
Set of aviation snips DSET16.....	35
Set of shape and straight cutting snips DSET15.....	35
Set of shape and straight cutting snips DSET29-15.....	33
Set of standard tin snips DSET-SF3.....	36
Shape and straight cutting snips D27A.....	33
Shape and straight cutting snips D29ASS-2.....	33
Shape and straight cutting snips D39ASS.....	33
Shape and straight cutting snips D212/D116.....	36
Shape and straight cutting snips D216...-SBSK.....	36
Shape and straight cutting snips, robust D17ASS/D17A.....	34
Shape and straight cutting snips, small and manoeuvrable D15A.....	35
Shape cutting punch snips D214/D114.....	37
Shape cutting snips D27.....	34
Shape cutting snips D29SS-2.....	33
SLV size rails.....	15
Spacer AV2 (4 pcs./bag).....	30
Spacer PVA.....	30
Spare blades DBK.....	39
Special pressure plate.....	15
Special pressure plate for SPZ80K.....	23
Special pressure plate for TWM28.....	18
Spring clamp Clippix XC.....	25
Spring clamp VarioClippix XV.....	25
Spring clamp VarioClippix XV.....	25
NEW Spring clamp XM.....	25
Squeeze-folding pliers D336.....	42
STC accessory set for multifunction tables.....	20
STC accessory set for multifunction tables.....	28
Steel strap cutter D122A.....	41
Steel strap cutter D122N.....	41
Straight cutting snips D27B.....	34
Straight cutting snips D29BSS-2.....	33
Strong multi-purpose cutters D52-2.....	38
NEW Support plate STE-SP35.....	31
T	
Table clamp.....	21
Table clamp.....	24
NEW Telescopic drywall support sales display ST18-D.....	32
Telescopic drywall support ST.....	30
NEW Telescopic drywall support STE with pump grip.....	30
Tilting adapter TW28AV.....	18
Tilting K Body clamp adapter KR-AS (2 pcs./bag).....	21
Toggle clamp adapter TWA-STC.....	18
Toggle clamp systainer STC-S-MFT.....	28
U	
Universal snips D106.....	37
Universal snips with wide blade D106A.....	37
U-shaped all-steel screw clamp GUZ.....	14
U-shaped high-performance clamp SGU.....	14
U-shaped high-performance clamp STBU.....	14
U-shaped lever clamp GUH.....	14
V	
Variable high performance clamps – Complete set GSV.....	15
Variable high-performance clamps – Complete set SLV.....	15
Variable jaw KRE-VO.....	21
Vario corners BVE (6 pcs./bag).....	25
Vario K Body REVO parallel clamp KREV.....	20
Vario table clamping attachment TWWAD (2 pcs./bag).....	18
Vertical toggle clamp with open arm and horizontal base plate STC-VH.....	19
W	
Welders' angle clamps WSM.....	17
Welding clamp set SM 10.....	17
Window installation clamp FRK.....	29
Wood Klemmy HKL.....	23
Workbench adapter TW16AW.....	26

All prices are non-binding recommended prices without sales tax.

V1–V3 = Clamping Technology discount groups

V4–V6 = Cutting Technology discount groups

VPE = Packaging unit

You have to place your orders only in packaging units.

L = Left cut design

SB = On carded hang pack

Standard tin snips with a rocker spring, available on request for an extra charge.

The BESSEY Product Development Department reserves the right for technical alterations.

Errors and omissions excepted to the best of our knowledge the information supplied is accurate.



Note that you are not entitled to any claims from the contact or delict, in particular product liability claims due to personal injuries or material damage, from our company if you do not observe our **warning and usage notices**.





Alphabetic register

3100736.....15	D27AH-TIN.....35	D122A-SB.....41	DSET29-15.....33	GS25K.....12	GZ80-2K.....10
3100736.....18	D27AL.....33	D122N.....41	DSET-SF3.....36	GS30.....11	GZ80-12-2K.....10
3100736.....23	D27AL-SB.....33	D123S.....41	DUO16-8.....22	GS30K.....12	GZ80K.....11
3100737.....15	D27A-SB.....33	D123S-SB.....41	DUO30-8.....22	GS40.....11	GZ100.....11
3101192.....15	D27B.....34	D146-200.....38	DUO45-8.....22	GS40K.....12	GZ100-2K.....10
3101192.....18	D27BL.....34	D146-250.....38	DUO65-8.....22	GS50.....11	GZ100-12-2K.....10
3101192.....23	D27L.....34	D146-300.....38	DVK.....38	GS50K.....12	GZ100K.....11
3101193.....15	D29ASS-2.....33	D146-350.....38	DVK2.....38	GS60.....11	GZ125.....11
3101193.....18	D29ASS-2-SB.....33	D202-250.....37	EHZ30-2K.....22	GS60K.....12	GZ125-2K.....10
3101193.....23	D29ASSL-2.....33	D202-300.....37	EHZ60-2K.....22	GS80.....11	GZ125K.....11
3101219.....15	D29ASSL-2-SB.....33	D207-250.....37	EKT55.....26	GS80K.....12	HKL20.....23
3101219.....23	D29BSS-2.....33	D207-250L.....37	EZL15-8.....22	GS100.....11	HKL30.....23
3101329.....15	D29BSSL-2.....33	D207-275.....37	EZL30-8.....22	GS100K.....12	HKL40.....23
3101330.....15	D29SS-2.....33	D207-275L.....37	EZL45-8.....22	GSH12.....13	HKL60.....23
3101331.....15	D29SSL-2.....33	D207-300.....37	EZL60-8.....22	GSH16.....13	HKL80.....23
3101337.....15	D33-60.....41	D207-300L.....37	EZM15-6.....22	GSH20.....13	HKL100.....23
3101338.....15	D33-60-P.....42	D208-275.....37	EZM30-6.....22	GSH25.....13	KBX20.....21
3101426.....15	D34-60.....41	D208-275L.....37	EZR15-6SET.....24	GSH30.....13	KF2.....26
3101612.....15	D34-60-P.....42	D214-250.....37	EZS11-4SET.....22	GSH40.....13	KF4.....26
3101731.....15	D35-60.....41	D214-250L.....37	EZS15-8.....22	GSH50.....13	KFP.....26
3101732.....15	D35-60-P.....42	D214-275°.....37	EZS30-8.....22	GSH60.....13	KLI12.....23
3101733.....15	D36.....43	D216-260.....36	EZS45-8.....22	GSL30.....14	KLI16.....23
3101952.....31	D39ASS.....33	D216-260L.....36	EZS60-8.....22	GSL60.....14	KLI20.....23
AM4.....24	D39ASSL.....33	D216-280.....36	EZS90-8.....22	GSM25.....14	KLI25.....23
AV2.....30	D39ASSL-SB.....33	D216-280-B-SBSK36	EZXL30-9.....22	GSM30.....14	KLI30.....23
BAN400.....25	D39ASS-SB.....33	D216-280L.....36	EZXL60-9.....22	GSM40.....14	KLI40.....23
BAN700.....25	D47.....39	D216-280L-B-SBSK36	EZXL90-9.....22	GSM50.....14	KLI-D.....23
BAS-C9-4.....18	D47-2.....38	D218-300.....36	FK16-8.....21	GSM60.....14	KLI-S.....23
BAS-C10-6.....18	D48.....39	D218-300L.....36	FK20-10.....21	GSV300M.....15	KP.....21
BAS-CB9-4.....19	D48-2.....38	D218-350.....36	FK40-10.....21	GTR12.....24	KR-AS.....21
BAS-CB10-6.....19	D48A.....39	D301.....42	FRK85.....29	GTR12SET.....24	KRE30-2K.....21
BASO.....19	D48A-2.....38	D311.....42	GH12.....12	GTR16B6.....24	KRE60-2K.....21
BH-MFT.....27	D49.....39	D331-22.....42	GH16.....12	GTR16S6H.....24	KRE80-2K.....21
BPC-H12.....29	D49-2.....39	D331-40.....41	GH20.....12	GTR30B6.....24	KRE100-2K.....21
BPC-H34.....29	D50.....38	D331-60.....41	GH20-8.....12	GU25-12-6H.....14	KRE125-2K.....21
BS2N.....19	D51A.....38	D331-60-P.....42	GH25.....12	GU25-12-6ZK.....14	KRE150-2K.....21
BS3N.....19	D52-2.....38	D331-80.....41	GH30.....12	GZ10.....11	KRE200-2K.....21
BS4N.....19	D53.....40	D335.....42	GH30-12.....12	GZ10-2K.....10	KRE250-2K.....21
BS5N.....19	D70-1.....40	D336.....42	GH40.....12	GZ12.....11	KREV100-2K.....20
BS6N.....19	D71-1.....40	D341-22.....42	GH40-12.....12	GZ12-2K.....10	KREV150-2K.....20
BSG21-14.....19	D72-1.....40	D341-40.....41	GH50.....12	GZ16.....11	KREV200-2K.....20
BSP-C10-6.....18	D74-1.....40	D341-60.....41	GH60.....12	GZ16-2K.....10	KREV250-2K.....20
BSP-CB10-6.....19	D75-1.....40	D341-60-P.....42	GH80.....12	GZ16K.....11	KRE-VO.....21
BVE.....25	D76-1.....40	D341-80.....41	GH100.....12	GZ20.....11	KS100.....22
CDF403C.....16	D102-225.....37	D351-60.....41	GK15.....22	GZ20-2K.....10	KS150.....22
CDF404C.....16	D102-250.....37	D351-60-P.....42	GK30.....22	GZ20K.....11	KSV.....22
CDF406C.....16	D102-250-SB.....37	D355.....42	GK45.....22	GZ25.....11	KT5-1CP.....17
CDF408C.....16	D102-300.....37	D396.....43	GK60.....22	GZ25-2K.....10	KT5-1CP.....26
CDF410C.....16	D106-250-SB.....37	D407-275.....35	GM16Z-2K.....12	GZ25K.....11	KT5-2.....17
CP-F.....16	D106A-250-SB.....37	D407-275L.....35	GM20Z-2K.....12	GZ25KG.....11	KT5-2.....26
D08.....34	D107-225.....37	D407-300.....35	GM20ZK.....12	GZ30.....11	KT8-3.....26
D08L.....34	D107-225-SB.....37	D407-300L.....35	GM25Z-2K.....12	GZ30-2K.....10	LM10/5.....23
D08L-SB.....34	D107-250.....37	D416-280.....36	GM25ZK.....12	GZ30-6.....11	LM10/5R8.....21
D08-SB.....34	D107-250L.....37	D416-280L.....36	GM30Z-2K.....12	GZ30-10.....11	LM10/5R8.....24
D15A.....35	D107-250L-SB.....37	D418-300.....36	GM30ZK.....12	GZ30-12.....11	LM15/5.....23
D15AL.....35	D107-250-SB.....37	D418-350.....36	GM40Z-2K.....12	GZ30-12-2K.....10	LM15/5R8.....21
D15AL-SB.....35	D107-275.....37	D820-200.....40	GM50Z-2K.....12	GZ30-12KG.....11	LM15/5R8.....24
D15A-SB.....35	D107-275L.....37	D820-250.....40	GM50ZK.....12	GZ30K.....11	LM15/8.....23
D16.....34	D107-300.....37	D821-160.....40	GM60Z-2K.....12	GZ40.....11	LM20/5.....23
D16L.....34	D107-300L.....37	D821-180.....40	GM60ZK.....12	GZ40-2K.....10	LM20/8.....23
D16L-SB.....34	D114-250.....37	D840-150.....40	GRA30-12.....14	GZ40-8-2K.....10	LM20/10.....23
D16S.....35	D114-250L.....37	D840-180.....40	GRA60-12.....14	GZ40-12.....11	LM25/5.....23
D16-SB.....34	D116-260.....36	D853-200.....41	GRA100-12.....14	GZ40-12-2K.....10	LM25/8.....23
D16S-D.....35	D116-260L.....36	D860-200.....41	GRD.....14	GZ40-12KG.....11	LM25/10.....23
D16S-SB.....35	D116-260L-SB.....36	D860-225.....41	GRS20-12.....19	GZ40K.....11	LM30/5.....23
D17A.....34	D116-260-SB.....36	D860-250.....41	GRZ10.....16	GZ50.....11	LM30/8.....23
D17AL.....34	D116-280.....36	DBKAH-EU.....39	GRZ20.....16	GZ50-2K.....10	LM30/10.....23
D17ASS.....34	D116-280L.....36	DBK-H.....39	GRZC.....16	GZ50-12-2K.....10	LM40/10.....23
D17ASSL.....34	D116-280L-SB.....36	DBK-L.....39	GRZRO.....16	GZ50-12KG.....11	LM50/10.....23
D22A.....34	D116-280-SB.....36	DBKPH-EU.....39	GS10.....11	GZ50K.....11	LM60/10.....23
D22A-SB.....34	D118-300.....36	DBKPH-SET.....39	GS12.....11	GZ60.....11	LM80/10.....23
D27.....34	D118-300L.....36	DBK-T.....39	GS16.....11	GZ60-2K.....10	LMU10/5.....23
D27A.....33	D118-300L-SB.....36	DBKWH-EU.....39	GS16K.....12	GZ60-12-2K.....10	LMU15/5.....23
D27AH.....35	D118-300-SB.....36	DBST.....40	GS20.....11	GZ60-12KG.....11	LMU20/5.....23
D27AHL.....35	D118-350.....36	DSET15.....35	GS20K.....12	GZ60K.....11	LP-1.....16
D27AHL-TIN.....35	D122A.....41	DSET16.....35	GS25.....11	GZ80.....11	LP-1F.....16




MCX.....	26	STC-HH50-T20.....	28	TG40S10.....	7	TGN40T40.....	10	TP-1.....	16	TW28AV.....	18
PA28.....	24	STC-HH70.....	20	TG40S10-2K.....	6	TGN40T40K.....	10	TP-1F.....	16	TW28GRS30-12.....	18
PA40.....	24	STC-HH70SB.....	20	TG40S12.....	7	TGN60T20.....	10	TP-1F-RK.....	16	TW28VAD.....	18
PA55.....	24	STC-HH70-T20.....	20	TG40S12-2K.....	6	TGN60T25.....	10	TP-1K.....	16	TW28X.....	18
PA70.....	24	STC-HH70-T20.....	28	TG40S12K.....	7	TGN60T25K.....	10	TP-2F.....	16	TWM28-30-12.....	17
PA105.....	24	STC-IHH15.....	20	TG40S14.....	7	TGN60T30.....	10	TP-2F-RK.....	16	TWV16-20-15-2K.....	17
PS55.....	28	STC-IHH25.....	20	TG40S14-2K.....	6	TGN60T30K.....	10	TP100S12BE.....	8	TWV16-20-15-2K.....	27
PS130.....	28	STC-IHH25SB.....	20	TG50S10.....	7	TGN60T40.....	10	TP100S12BE-2K.....	8	TWV16-20-15H.....	17
PVA.....	30	STC-IHH25-T20.....	20	TG50S10-2K.....	6	TGN60T40K.....	10	TP100S14BE.....	8	TWV16-20-15H.....	27
RB269.....	21	STC-IHH25-T20.....	28	TG50S12.....	7	TGN60T50.....	10	TP100S17BE.....	8	TWV16-20-15K.....	17
RB269.....	24	STC-SET-T20.....	20	TG50S12-2K.....	6	TGN60T50K.....	10	TP125S12BE.....	8	TWV16-20-15K.....	27
S10-ST.....	24	STC-SET-T20.....	28	TG50S14.....	7	TGN80T20.....	10	TP150S12BE.....	8	TWV28-30-17-2K.....	17
SC40.....	16	STC-S-MFT.....	28	TG50S14-2K.....	6	TGN80T25.....	10	TP150S14BE.....	8	TWV28-30-17H.....	17
SC60.....	16	STC-VH20.....	19	TG50S17.....	7	TGN80T25K.....	10	TP200S14BE.....	8	TWV28-30-17K.....	17
SC80.....	16	STC-VH50.....	19	TG50S17-2K.....	6	TGN80T30.....	10	TPN10BE.....	8	TWVAD.....	18
SC100.....	16	STC-VH50-T20.....	20	TG60S12.....	7	TGN80T30K.....	10	TPN12BE.....	8	UK16.....	21
SC120.....	16	STC-VH50-T20.....	28	TG60S12-2K.....	6	TGN80T40.....	10	TPN15B5BE.....	8	UK30.....	21
SC150.....	16	STE250.....	30	TG60S14.....	7	TGN80T40K.....	10	TPN16BE.....	8	UK60.....	21
SC200.....	16	STE300.....	30	TG60S14-2K.....	6	TGN80T50.....	10	TPN16BE-2K.....	8	UK80.....	21
SG-25HS.....	12	STE370.....	30	TG60S17.....	7	TGN80T50K.....	10	TPN20B5BE.....	8	UK100.....	21
SG25M.....	13	STE-BAG.....	31	TG60S17-2K.....	6	TGN100T20.....	10	TPN20B6BE.....	8	VAD.....	17
SG30M.....	13	STE-BS.....	31	TG80S12.....	7	TGN100T25.....	10	TPN20B8BE.....	8	VC2.....	15
SG30T20M.....	13	STE-DS.....	31	TG80S12-2K.....	6	TGN100T30.....	10	TPN20BE.....	8	VC3.....	15
SG30VAD.....	14	STE-LH.....	31	TG80S14.....	7	TGN100T40.....	10	TPN20BE-2K.....	8	VC4.....	15
SG40M.....	13	STE-SP35.....	31	TG80S14-2K.....	6	TGN150T30.....	10	TPN25B8BE.....	8	VC6.....	15
SG-50HS.....	12	SVG.....	30	TG80S17.....	7	TGN200T30.....	10	TPN25BE.....	8	VC8.....	15
SG50M.....	13	SVH400.....	30	TG80S17-2K.....	6	TGN250T30.....	10	TPN25BE-2K.....	8	VC10.....	15
SG60M.....	13	SVH760.....	30	TG100S12.....	7	TGRC10.....	9	TPN25S10BE.....	8	WNS-SET-MFT.....	27
SG60T20M.....	13	TAN120.....	29	TG100S12-2K.....	6	TGRC12.....	9	TPN30B8BE.....	8	WS1.....	26
SG80M.....	13	TAN150.....	29	TG100S14.....	7	TGRC15B5.....	9	TPN30BE.....	8	WS3.....	25
SG100M.....	13	TAN210.....	29	TG100S14-2K.....	6	TGRC16.....	9	TPN30BE-2K.....	8	WS6.....	25
SG125M.....	13	TAN250.....	29	TG100S17.....	7	TGRC20.....	9	TPN30S10BE.....	8	WSM9.....	17
SG150M.....	13	TB100.....	29	TG100S17-2K.....	6	TGRC20B5.....	9	TPN30S12BE.....	8	WSM12.....	17
SGU30-14-10.....	14	TB120.....	29	TGK40.....	7	TGRC20B6.....	9	TPN40BE.....	8	WTR.....	29
SKS10/20.....	7	TB150.....	29	TGK40-2K.....	6	TGRC20B8.....	9	TPN40BE-2K.....	8	XC1.....	25
SKS10/20.....	11	TB210.....	29	TGK50.....	7	TGRC25.....	9	TPN40S10BE.....	8	XC1-SET.....	25
SKS10/20.....	12	TB250.....	29	TGK50-2K.....	6	TGRC25B8.....	9	TPN40S12BE.....	8	XC2.....	25
SKS20/40.....	7	TFM-2K.....	29	TGK50K.....	8	TGRC25S10.....	9	TPN40S12BE-2K.....	8	XC3.....	25
SKS20/40.....	11	TG10.....	7	TGK60.....	7	TGRC30.....	9	TPN40S14BE.....	8	XC5.....	25
SKS20/40.....	12	TG10-2K.....	6	TGK60-2K.....	6	TGRC30B6.....	9	TPN50S10BE.....	8	XC7.....	25
SL20M.....	13	TG12.....	7	TGK80.....	7	TGRC30B8.....	9	TPN50S12BE.....	8	XC12.....	25
SL25M.....	13	TG12-2K.....	6	TGK80-2K.....	6	TGRC30S10.....	9	TPN50S12BE-2K.....	8	XCL2-SET.....	25
SL30M.....	13	TG15B5.....	7	TGK100.....	7	TGRC30S12.....	9	TPN50S14BE.....	8	XCL5.....	25
SL40M.....	13	TG16.....	7	TGK100-2K.....	6	TGRC40.....	9	TPN60S10BE.....	8	XCR2.....	25
SL50M.....	13	TG16-2K.....	6	TGK100K.....	8	TGRC40S10.....	9	TPN60S12BE.....	8	XCR4.....	25
SL60M.....	13	TG16K.....	7	TGK125.....	7	TGRC40S12.....	9	TPN60S12BE-2K.....	8	XM3EU.....	25
SLV100M.....	15	TG20.....	7	TGK125-2K.....	6	TGRC40S14.....	9	TPN60S14BE.....	8	XM5EU.....	25
SLV150M.....	15	TG20-2K.....	6	TGK150.....	7	TGRC50S12.....	9	TPN60S17BE.....	8	XM7EU.....	25
SLV200M.....	15	TG20B5.....	7	TGK150-2K.....	6	TGRC50S14.....	9	TPN80S12BE.....	8	XV3-50.....	25
SM10-SET.....	17	TG20B6.....	7	TGK150K.....	8	TGRC60S12.....	9	TPN80S12BE-2K.....	8	XV5-100.....	25
SPZ60K.....	22	TG20B8.....	7	TGK200.....	7	TGRC60S14.....	9	TPN80S14BE.....	8	XV5-170.....	25
SPZ80K.....	22	TG20B8-2K.....	6	TGK200-2K.....	6	TGRC60S17.....	9	TPN80S17BE.....	8	ZW1.....	32
ST18-D.....	32	TG20K.....	7	TGK200K.....	8	TGRC80S12.....	9	TU.....	28	ZW1-A01.....	32
ST125.....	30	TG25.....	7	TGK250.....	7	TGRC80S14.....	9	TU-TRAGE.....	29	ZW1-A01-2K.....	32
ST250.....	30	TG25-2K.....	6	TGK250K.....	8	TGRC80S17.....	9	TUX.....	29	ZW1-A99-2K.....	32
ST290.....	30	TG25B8.....	7	TGK300.....	7	TGRC100S12.....	9	TW16-20-10-2K.....	17	ZW2.....	32
STB30M.....	13	TG25B8-2K.....	6	TGK300-2K.....	6	TGRC100S14.....	9	TW16-20-10-2K.....	27	ZW2-A99.....	32
STB40M.....	13	TG25K.....	7	TGK300K.....	8	TGRC100S17.....	9	TW16-20-10H.....	17	ZW2-A99-2K.....	32+++
STB50M.....	13	TG25S10.....	7	TGKR50.....	9	TGRC150S14.....	9	TW16-20-10H.....	27		
STB60M.....	13	TG25S10-2K.....	6	TGKR60.....	9	TK6.....	21	TW16-20-10K.....	17		
STB80M.....	13	TG30.....	7	TGKR80.....	9	TK6.....	24	TW16-20-10K.....	27		
STB100M.....	13	TG30-2K.....	6	TGKR100.....	9	TKPN50BE.....	9	TW16A-STC.....	18		
STB125M.....	13	TG30B6.....	7	TGKR125.....	9	TKPN60BE.....	9	TW16AW19.....	26		
STB150M.....	13	TG30B8.....	7	TGKR150.....	9	TKPN80BE.....	9	TW16AW20.....	26		
STBS30.....	13	TG30B8-2K.....	6	TGKR200.....	9	TKPN100BE.....	9	TW16AW25*.....	26		
STBS50.....	13	TG30K.....	7	TGN30T20.....	10	TKPN125BE.....	9	TW16AW30.....	26		
STBS100.....	13	TG30S10.....	7	TGN30T20K.....	10	TKPN150BE.....	9	TW16VAD.....	18		
STBU40-17-15.....	14	TG30S10-2K.....	6	TGN30T50.....	10	TKPN200BE.....	9	TW16VAD.....	18		
STBVC15.....	13	TG30S12.....	7	TGN30T50K.....	10	TKPN250BE.....	9	TW16X.....	18		
STBVC25.....	13	TG30S12-2K.....	6	TGN40T20.....	10	TL60.....	29	TW20-15-8-KLI.....	28		
STBVC35.....	13	TG30S12K.....	7	TGN40T20K.....	10	TL90.....	29	TW28-30-12-2K.....	17		
STC-HH20.....	20	TG40.....	7	TGN40T25.....	10	TL120.....	29	TW28-30-12H.....	17		
STC-HH20SB.....	20	TG40-2K.....	6	TGN40T25K.....	10	TL180.....	29	TW28-30-12K.....	17		
STC-HH50.....	20	TG40B8.....	7	TGN40T30.....	10	TMS.....	29	TW28-30-14-2K.....	17		
STC-HH50SB.....	20	TG40B8-2K.....	6	TGN40T30K.....	10			TW28-30-14H.....	17		
STC-HH50-T20.....	20	TG40K.....	7					TW28-30-14K.....	17		




BESSEY Price list valid from April 1st, 2022

	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
 <ul style="list-style-type: none"> • Clamping force up to 6,000 N • High-quality 2-component plastic handle • Pressure plates can be replaced by hand – no tools required (from 80 mm throat depth) • With protective caps on the clamping surfaces • Stable profiled rail with serration • BESSEY anti-slip system (from 80 mm throat depth) 	Original BESSEY malleable cast iron screw clamp TG with 2-component plastic handle							
	TG10-2K	100	50	15 x 5	4008158031620	10	V1	16,20
	TG12-2K	120	60	20 x 5	4008158031637	10	V1	21,60
	TG16-2K	160	80	25 x 6	4008158029979	10	V1	25,90
	TG20B8-2K	200	80	25 x 6	4008158029986	10	V1	26,20
	TG25B8-2K	250	80	25 x 6	4008158029993	10	V1	26,90
	TG30B8-2K	300	80	25 x 6	4008158030005	10	V1	28,30
	TG40B8-2K	400	80	25 x 6	4008158030012	10	V1	30,70
	TG20-2K	200	100	27 x 7	4008158030029	10	V1	35,60
	TG25S10-2K	250	100	27 x 7	4008158030036	10	V1	39,10
	TG30S10-2K	300	100	27 x 7	4008158030043	10	V1	41,30
	TG40S10-2K	400	100	27 x 7	4008158030050	10	V1	45,00
	TG50S10-2K	500	100	27 x 7	4008158030067	10	V1	47,10
	TG25-2K	250	120	29 x 9	4008158030074	10	V1	43,10
	TG30S12-2K	300	120	29 x 9	4008158030081	10	V1	46,50
	TG40S12-2K	400	120	29 x 9	4008158030098	10	V1	50,30
	TG50S12-2K	500	120	29 x 9	4008158030104	10	V1	54,00
	TG60S12-2K	600	120	29 x 9	4008158030111	5	V1	57,40
	TG80S12-2K	800	120	29 x 9	4008158030128	5	V1	64,20
	TG100S12-2K	1000	120	29 x 9	4008158030135	5	V1	71,90
	TG30-2K	300	140	32 x 10	4008158030142	10	V1	53,70
	TG40S14-2K	400	140	32 x 10	4008158030159	5	V1	60,50
	TG50S14-2K	500	140	32 x 10	4008158030166	5	V1	65,50
	TG60S14-2K	600	140	32 x 10	4008158030173	5	V1	70,10
	TG80S14-2K	800	140	32 x 10	4008158030180	5	V1	79,90
	TG100S14-2K	1000	140	32 x 10	4008158030197	5	V1	91,20
	TG40-2K	400	175	32 x 10	4008158030203	5	V1	65,10
	TG50S17-2K	500	175	32 x 10	4008158030210	1	V1	72,10
	TG60S17-2K	600	175	32 x 10	4008158030227	1	V1	76,50
	TG80S17-2K	800	175	32 x 10	4008158030234	1	V1	86,20
TG100S17-2K	1000	175	32 x 10	4008158030241	1	V1	96,20	
 <ul style="list-style-type: none"> • Clamping force up to 7,000 N • Strengthened design for higher clamping force and wider opening widths • High-quality 2-component plastic handle • Pressure plates can be replaced by hand – no tools required • Stable profiled rail with serration • BESSEY anti-slip system 	Heavy duty malleable cast iron screw clamp TGK with 2-component plastic handle							
	TGK40-2K	400	120	35 x 11	4008158030258	5	V1	60,40
	TGK50-2K	500	120	35 x 11	4008158030265	5	V1	66,20
	TGK60-2K	600	120	35 x 11	4008158030272	5	V1	69,70
	TGK80-2K	800	120	35 x 11	4008158030289	5	V1	78,80
	TGK100-2K	1000	120	35 x 11	4008158030296	5	V1	88,00
	TGK125-2K	1250	120	35 x 11	4008158030302	1	V1	95,80
	TGK150-2K	1500	120	35 x 11	4008158030319	1	V1	106,80
	TGK200-2K	2000	120	35 x 11	4008158030326	1	V1	130,10
	TGK250-2K	2500	120	35 x 11	4008158030333	1	V1	157,50
	TGK300-2K	3000	120	35 x 11	4008158030340	1	V1	186,40




	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Original BESSEY malleable cast iron screw clamp TG with tried-and-true wooden handle								
 <ul style="list-style-type: none"> • Clamping force up to 6,000 N • Ergonomically shaped wood handle • Pressure plates can be replaced by hand – no tools required (from 80 mm throat depth) • With protective caps on the clamping surfaces • Stable profiled rail with serration • BESSEY anti-slip system (from 80 mm throat depth) 	TG10	100	50	15 x 5	4008158008240	10	V1	15,50
	TG15B5	150	50	15 x 5	4008158008646	10	V1	17,60
	TG20B5	200	50	15 x 5	4008158008721	10	V1	18,20
	TG12	120	60	20 x 5	4008158008448	10	V1	20,70
	TG20B6	200	60	20 x 5	4008158008738	10	V1	21,40
	TG30B6	300	60	20 x 5	4008158008899	10	V1	25,20
	TG16	160	80	25 x 6	4008158008677	10	V1	24,80
	TG20B8	200	80	25 x 6	4008158008745	10	V1	25,10
	TG25B8	250	80	25 x 6	4008158008790	10	V1	25,80
	TG30B8	300	80	25 x 6	4008158008905	10	V1	27,20
	TG40B8	400	80	25 x 6	4008158009254	10	V1	29,60
	TG20	200	100	27 x 7	4008158008707	10	V1	34,30
	TG25S10	250	100	27 x 7	4008158008837	10	V1	37,80
	TG30S10	300	100	27 x 7	4008158008943	10	V1	40,00
	TG40S10	400	100	27 x 7	4008158009292	10	V1	43,70
	TG50S10	500	100	27 x 7	4008158010564	10	V1	45,80
	TG25	250	120	29 x 9	4008158008769	10	V1	41,50
	TG30S12	300	120	29 x 9	4008158008967	10	V1	44,90
	TG40S12	400	120	29 x 9	4008158010311	10	V1	48,70
	TG50S12	500	120	29 x 9	4008158010588	10	V1	52,40
	TG60S12	600	120	29 x 9	4008158010779	5	V1	55,80
	TG80S12	800	120	29 x 9	4008158010960	5	V1	62,60
	TG100S12	1000	120	29 x 9	4008158008264	5	V1	70,30
	TG30	300	140	32 x 10	4008158008868	10	V1	51,90
	TG40S14	400	140	32 x 10	4008158010335	5	V1	58,70
	TG50S14	500	140	32 x 10	4008158010601	5	V1	63,70
	TG60S14	600	140	32 x 10	4008158010793	5	V1	68,30
	TG80S14	800	140	32 x 10	4008158010984	5	V1	78,10
TG100S14	1000	140	32 x 10	4008158008288	5	V1	89,40	
TG40	400	175	32 x 10	4008158009223	5	V1	63,30	
TG50S17	500	175	32 x 10	4008158010625	1	V1	70,30	
TG60S17	600	175	32 x 10	4008158010816	1	V1	74,70	
TG80S17	800	175	32 x 10	4008158011004	1	V1	84,40	
TG100S17	1000	175	32 x 10	4008158008301	1	V1	94,40	
Pressure cap strips SKS (2 pcs./bag)								
 <ul style="list-style-type: none"> • For screw clamps • For gentle clamping • May be applied on both sides • Cut them to size 	SKS10/20				4008158025582	1	V3	7,90
	SKS20/40				4008158025599	1	V3	8,10
Heavy duty malleable cast iron screw clamp TKG with tried-and-true wooden handle								
 <ul style="list-style-type: none"> • Clamping force up to 7,000 N • Heavy duty, reinforced design for higher clamping force and wider opening widths • Ergonomically shaped wood handle • Pressure plates can be replaced by hand – no tools required • Stable profiled rail with serration • BESSEY anti-slip system 	TGK40	400	120	35 x 11	4008158011400	5	V1	58,60
	TGK50	500	120	35 x 11	4008158011448	5	V1	64,40
	TGK60	600	120	35 x 11	4008158011479	5	V1	67,90
	TGK80	800	120	35 x 11	4008158011509	5	V1	77,00
	TGK100	1000	120	35 x 11	4008158011134	5	V1	86,20
	TGK125	1250	120	35 x 11	4008158011165	1	V1	94,00
	TGK150	1500	120	35 x 11	4008158011196	1	V1	105,00
	TGK200	2000	120	35 x 11	4008158011257	1	V1	128,30
	TGK250	2500	120	35 x 11	4008158011318	1	V1	155,70
	TGK300	3000	120	35 x 11	4008158011349	1	V1	184,60
Original BESSEY malleable cast iron screw clamp TG with tommy bar								
 <ul style="list-style-type: none"> • Clamping force up to 6,000 N • Tommy bar with rounded ends for simple transfer of force when clamping • Pressure plates can be replaced by hand – no tools required • With protective caps on the clamping surfaces • Stable profiled rail with serration • BESSEY anti-slip system 	TG16K	160	80	25 x 6	4008158008691	10	V1	25,90
	TG20K	200	100	27 x 7	4008158008752	10	V1	35,60
	TG25K	250	120	29 x 9	4008158008813	10	V1	43,10
	TG30S12K	300	120	29 x 9	4008158025032	10	V1	46,50
	TG40S12K	400	120	29 x 9	4008158025049	10	V1	50,60
	TG30K	300	140	32 x 10	4008158008929	10	V1	53,70
	TG40K	400	175	32 x 10	4008158009278	5	V1	65,10






BESSEY Price list valid from April 1st, 2022

	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Heavy duty malleable cast iron screw clamp TGK with tommy bar								
 <ul style="list-style-type: none"> • Clamping force up to 7,000 N • Strengthened design for higher clamping force and wider opening widths • Tommy bar with rounded ends for simple transfer of force when clamping • Pressure plates can be replaced by hand – no tools required • Stable profiled rail with serration • BESSEY anti-slip system 	TGK50K	500	120	35 x 11	4008158011462	5	V1	66,20
	TGK100K	1000	120	35 x 11	4008158011158	5	V1	88,00
	TGK150K	1500	120	35 x 11	4008158011219	1	V1	106,80
	TGK200K	2000	120	35 x 11	4008158011271	1	V1	130,10
	TGK250K	2500	120	35 x 11	4008158011332	1	V1	157,50
	TGK300K	3000	120	35 x 11	4008158011363	1	V1	186,40
Malleable cast iron screw clamp TPN with 2-component plastic handle								
 <ul style="list-style-type: none"> • Clamping force up to 5,500 N • High-quality 2-component plastic handle • With protective caps on the clamping surfaces • Stable profiled rail with serration 	TPN16BE-2K	160	80	25 x 6	4008158031088	10	V1	19,70
	TPN20BE-2K	200	100	27 x 7	4008158031095	10	V1	27,00
	TPN25BE-2K	250	120	29 x 9	4008158030456	10	V1	32,70
	TPN40S12BE-2K	400	120	29 x 9	4008158031118	10	V1	38,10
	TPN50S12BE-2K	500	120	29 x 9	4008158031125	10	V1	40,90
	TPN60S12BE-2K	600	120	29 x 9	4008158031132	5	V1	43,50
	TPN80S12BE-2K	800	120	29 x 9	4008158031149	5	V1	48,60
	TP100S12BE-2K	1000	120	29 x 9	4008158031156	5	V1	54,30
	TPN30BE-2K	300	140	32 x 10	4008158030524	10	V1	40,70
TPN40BE-2K	400	175	32 x 10	4008158030579	5	V1	49,30	
Malleable cast iron screw clamp TPN with tried-and-true wooden handle								
 <ul style="list-style-type: none"> • Clamping force up to 5,500 N • Ergonomically shaped wood handle • With protective caps on the clamping surfaces • Stable profiled rail with serration 	TPN10BE	100	50	15 x 5	4008158015484	10	V1	11,60
	TPN15B5BE	150	50	15 x 5	4008158015545	10	V1	13,20
	TPN20B5BE	200	50	15 x 5	4008158015606	10	V1	13,70
	TPN12BE	120	60	20 x 5	4008158015521	10	V1	15,50
	TPN20B6BE	200	60	20 x 5	4008158015637	10	V1	16,10
	TPN16BE	160	80	25 x 6	4008158015576	10	V1	18,60
	TPN20B8BE	200	80	25 x 6	4008158015651	10	V1	18,80
	TPN25B8BE	250	80	25 x 6	4008158015736	10	V1	19,40
	TPN30B8BE	300	80	25 x 6	4008158015866	10	V1	20,40
	TPN20BE	200	100	27 x 7	4008158015682	10	V1	25,70
	TPN25S10BE	250	100	27 x 7	4008158015781	10	V1	28,40
	TPN30S10BE	300	100	27 x 7	4008158015910	10	V1	30,00
	TPN40S10BE	400	100	27 x 7	4008158016054	10	V1	32,80
	TPN50S10BE	500	100	27 x 7	4008158016146	10	V1	34,40
	TPN60S10BE	600	100	27 x 7	4008158016245	10	V1	36,80
	TPN25BE	250	120	29 x 9	4008158015767	10	V1	31,10
	TPN30S12BE	300	120	29 x 9	4008158015934	10	V1	33,70
	TPN40S12BE	400	120	29 x 9	4008158016078	10	V1	36,50
	TPN50S12BE	500	120	29 x 9	4008158016160	10	V1	39,30
	TPN60S12BE	600	120	29 x 9	4008158016252	5	V1	41,90
	TPN80S12BE	800	120	29 x 9	4008158016320	5	V1	47,00
	TP100S12BE	1000	120	29 x 9	4008158015453	5	V1	52,70
	TP125S12BE	1250	120	29 x 9	4008158018591	1	V1	59,00
	TP150S12BE	1500	120	29 x 9	4008158023199	1	V1	67,10
	TPN30BE	300	140	32 x 10	4008158015897	10	V1	38,90
	TPN40S14BE	400	140	32 x 10	4008158016108	5	V1	44,00
	TPN50S14BE	500	140	32 x 10	4008158016184	5	V1	47,80
	TPN60S14BE	600	140	32 x 10	4008158016276	5	V1	51,20
	TPN80S14BE	800	140	32 x 10	4008158016344	5	V1	58,60
	TP100S14BE	1000	140	32 x 10	4008158015460	5	V1	67,10
	TP150S14BE	1500	140	32 x 10	4008158023168	1	V1	89,00
	TP200S14BE	2000	140	32 x 10	4008158023328	1	V1	109,40
	TPN40BE	400	175	32 x 10	4008158016030	5	V1	47,50
TPN60S17BE	600	175	32 x 10	4008158016306	1	V1	56,00	
TPN80S17BE	800	175	32 x 10	4008158016368	1	V1	63,30	
TP100S17BE	1000	175	32 x 10	4008158015477	1	V1	70,80	

	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Heavy duty malleable cast iron screw clamp TKPN with tried-and-true wooden handle								
 <ul style="list-style-type: none"> • Clamping force up to 6,500 N • Strengthened design for higher clamping force and wider opening widths • Ergonomically shaped wood handle • Stable profiled rail with serration 	TKPN50BE	500	120	35 x 11	4008158015361	5	V1	48,30
	TKPN60BE	600	120	35 x 11	4008158015378	5	V1	50,90
	TKPN80BE	800	120	35 x 11	4008158015385	5	V1	57,80
	TKPN100BE	1000	120	35 x 11	4008158015262	5	V1	64,70
	TKPN125BE	1250	120	35 x 11	4008158015279	1	V1	70,50
	TKPN150BE	1500	120	35 x 11	4008158015286	1	V1	78,80
	TKPN200BE	2000	120	35 x 11	4008158015309	1	V1	96,20
	TKPN250BE	2500	120	35 x 11	4008158015323	1	V1	116,80
	TKPN300BE	3000	120	35 x 11	4008158015330	1	V1	138,50
Malleable cast iron screw clamp TGRC with tried-and-true wooden handle								
 <ul style="list-style-type: none"> • Clamping force up to 5,500 N • Ergonomically shaped wood handle • With protective caps on the clamping surfaces • Stable solid flat rail with serration 	TGRC10	100	50	15 x 5	4008158012902	10	V1	11,20
	TGRC15B5	150	50	15 x 5	4008158013046	10	V1	12,70
	TGRC20B5	200	50	15 x 5	4008158013176	10	V1	13,10
	TGRC12	120	60	20 x 5	4008158012995	10	V1	14,90
	TGRC20B6	200	60	20 x 5	4008158013206	10	V1	15,40
	TGRC30B6	300	60	20 x 5	4008158013541	10	V1	18,10
	TGRC16	160	80	25 x 6	4008158013084	10	V1	17,90
	TGRC20B8	200	80	25 x 6	4008158013244	10	V1	18,10
	TGRC25B8	250	80	25 x 6	4008158013398	10	V1	18,60
	TGRC30B8	300	80	25 x 6	4008158013572	10	V1	19,60
	TGRC20	200	100	27 x 7	4008158013152	10	V1	24,70
	TGRC25S10	250	100	27 x 7	4008158013442	10	V1	27,20
	TGRC30S10	300	100	27 x 7	4008158013626	10	V1	28,80
	TGRC40S10	400	100	27 x 7	4008158013848	10	V1	31,50
	TGRC25	250	120	29 x 9	4008158013350	10	V1	29,90
	TGRC30S12	300	120	29 x 9	4008158013657	10	V1	32,30
	TGRC40S12	400	120	29 x 9	4008158013886	10	V1	35,10
	TGRC50S12	500	120	29 x 9	4008158014050	10	V1	37,70
	TGRC60S12	600	120	29 x 9	4008158014197	5	V1	40,20
	TGRC80S12	800	120	29 x 9	4008158014333	5	V1	45,10
	TGRC100S12	1000	120	29 x 9	4008158012926	5	V1	50,60
	TGRC30	300	140	32 x 10	4008158013497	10	V1	37,40
	TGRC40S14	400	140	32 x 10	4008158013916	5	V1	42,30
	TGRC50S14	500	140	32 x 10	4008158014098	5	V1	45,90
	TGRC60S14	600	140	32 x 10	4008158014234	5	V1	49,20
	TGRC80S14	800	140	32 x 10	4008158014371	5	V1	56,20
	TGRC100S14	1000	140	32 x 10	4008158012933	5	V1	64,40
	TGRC150S14	1500	140	32 x 10	4008158025131	1	V1	85,10
	TGRC40	400	175	32 x 10	4008158013763	5	V1	45,60
	TGRC50S17	500	175	32 x 10	4008158014128	1	V1	50,60
TGRC60S17	600	175	32 x 10	4008158014265	1	V1	53,80	
TGRC80S17	800	175	32 x 10	4008158014401	1	V1	60,80	
TGRC100S17	1000	175	32 x 10	4008158012940	1	V1	68,00	
Heavy duty malleable cast iron screw clamp TGKR with tried-and-true wooden handle								
 <ul style="list-style-type: none"> • Clamping force up to 6,500 N • Strengthened design for higher clamping force and wider opening widths • Ergonomically shaped wood handle • Stable solid flat rail with serration 	TGKR50	500	120	35 x 11	4008158011752	5	V1	46,40
	TGKR60	600	120	35 x 11	4008158011790	5	V1	48,90
	TGKR80	800	120	35 x 11	4008158011820	5	V1	55,40
	TGKR100	1000	120	35 x 11	4008158011530	5	V1	62,10
	TGKR125	1250	120	35 x 11	4008158011578	1	V1	67,70
	TGKR150	1500	120	35 x 11	4008158011608	1	V1	75,60
	TGKR200	2000	120	35 x 11	4008158011660	1	V1	92,40







BESSEY Price list valid from April 1st, 2022








	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Deep throat clamp TGNT with tried-and-true wooden handle								
 <ul style="list-style-type: none"> • Clamping force up to 7,000 N • Heavy-duty design • Ergonomically shaped wood handle • Large, stable solid flat rail with serration • Rail dimensions great than and equal to 40 x 11 are ungalvanized 	TGN30T20	300	200	35 x 11	4008158012322	1	V1	71,70
	TGN40T20	400	200	35 x 11	4008158012391	1	V1	77,00
	TGN60T20	600	200	35 x 11	4008158012636	1	V1	87,40
	TGN80T20	800	200	35 x 11	4008158012766	1	V1	97,60
	TGN100T20	1000	200	35 x 11	4008158012216	1	V1	108,10
	TGN40T25	400	250	40 x 11	4008158012421	1	V1	98,00
	TGN60T25	600	250	40 x 11	4008158012667	1	V1	109,90
	TGN80T25	800	250	40 x 11	4008158012797	1	V1	121,10
	TGN100T25	1000	250	40 x 11	4008158012247	1	V1	132,90
	TGN40T30	400	300	45 x 12	4008158012469	1	V1	114,70
	TGN60T30	600	300	45 x 12	4008158012698	1	V1	128,70
	TGN80T30	800	300	45 x 12	4008158012827	1	V1	139,00
	TGN100T30	1000	300	45 x 12	4008158012278	1	V1	153,10
	TGN150T30	1500	300	45 x 12	4008158028781	1	V1	190,50
	TGN200T30	2000	300	45 x 12	4008158028798	1	V1	224,90
	TGN250T30	2500	300	45 x 12	4008158028804	1	V1	259,60
	TGN40T40	400	400	45 x 12	4008158012490	1	V1	169,10
	TGN60T40	600	400	45 x 12	4008158012728	1	V1	183,40
	TGN80T40	800	400	45 x 12	4008158012858	1	V1	197,50
	TGN100T40	1000	400	45 x 12	4008158012308	1	V1	211,70
TGN30T50	300	500	45 x 12	4008158012377	1	V1	190,70	
TGN60T50	600	500	45 x 12	4008158012742	1	V1	211,70	
TGN80T50	800	500	45 x 12	4008158012872	1	V1	226,10	
Deep throat screw clamp TGNT with tommy bar								
 <ul style="list-style-type: none"> • Clamping force up to 7,000 N • Heavy-duty design • Tommy bar with rounded ends for simple transfer of force when clamping • Large, stable solid plain rail with fluting • Rail dimensions great than and equal to 40 x 11 are ungalvanized 	TGN30T20K	300	200	35 x 11	4008158012346	1	V1	73,50
	TGN40T20K	400	200	35 x 11	4008158012414	1	V1	78,80
	TGN40T25K	400	250	40 x 11	4008158012445	1	V1	99,80
	TGN60T25K	600	250	40 x 11	4008158012681	1	V1	111,70
	TGN80T25K	800	250	40 x 11	4008158012810	1	V1	122,90
	TGN40T30K	400	300	45 x 12	4008158012483	1	V1	116,50
	TGN60T30K	600	300	45 x 12	4008158012711	1	V1	130,50
	TGN80T30K	800	300	45 x 12	4008158012841	1	V1	140,80
	TGN40T40K	400	400	45 x 12	4008158012506	1	V1	170,90
	TGN60T40K	600	400	45 x 12	4008158012735	1	V1	185,20
	TGN80T40K	800	400	45 x 12	4008158012865	1	V1	199,30
	TGN30T50K	300	500	45 x 12	4008158012384	1	V1	192,50
	TGN60T50K	600	500	45 x 12	4008158012759	1	V1	213,50
	TGN80T50K	800	500	45 x 12	4008158012889	1	V1	227,90
	Original BESSEY all-steel screw clamp GZ with 2-component plastic handle							
 <ul style="list-style-type: none"> • 20 % more clamping force per spindle rotation with optimised rail profile • Maximum security with linear transfer of force at the sliding arm • Clamping force up to 6,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • High-quality 2-component plastic handle • Pressure plates can be replaced by hand – no need for tools (from 80 mm width) 	GZ10-2K	100	60	15 x 6	4008158033785	10	V2	17,60
	GZ12-2K	120	60	15 x 6	4008158033808	10	V2	21,90
	GZ16-2K	160	80	17,5 x 6,8	4008158033860	10	V2	26,40
	GZ40-8-2K	400	80	17,5 x 6,8	4008158033907	10	V2	32,70
	GZ20-2K	200	100	22 x 8,5	4008158033921	10	V2	35,60
	GZ25-2K	250	120	24,5 x 9,5	4008158034003	10	V2	42,90
	GZ30-12-2K	300	120	24,5 x 9,5	4008158034034	10	V2	46,50
	GZ40-12-2K	400	120	24,5 x 9,5	4008158034065	10	V2	50,30
	GZ50-12-2K	500	120	24,5 x 9,5	4008158034072	10	V2	54,30
	GZ60-12-2K	600	120	24,5 x 9,5	4008158034089	5	V2	57,90
	GZ80-12-2K	800	120	24,5 x 9,5	4008158034096	5	V2	64,90
	GZ100-12-2K	1000	120	24,5 x 9,5	4008158034102	5	V2	72,10
	GZ30-2K	300	140	28 x 11	4008158034126	10	V2	53,50
	GZ40-2K	400	120	28 x 11	4008158034157	10	V2	61,60
	GZ50-2K	500	120	28 x 11	4008158034188	5	V2	66,00
	GZ60-2K	600	120	28 x 11	4008158034218	5	V2	69,50
	GZ80-2K	800	120	28 x 11	4008158034249	5	V2	83,70
	GZ100-2K	1000	120	28 x 11	4008158034270	5	V2	93,80
GZ125-2K	1250	120	28 x 11	4008158034300	1	V2	126,40	

	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Original BESSEY all-steel screw clamp GZ with tried-and-tested wooden handle								
 <ul style="list-style-type: none"> • 20 % more clamping force per spindle rotation with optimised rail profile • Maximum security with linear transfer of force at the sliding arm • Clamping force up to 6,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • Ergonomically shaped wood handle • Pressure plates can be replaced by hand – no need for tools (from 80 mm width) 	GZ10	100	60	15 x 6	4008158033778	10	V2	16,90
	GZ12	120	60	15 x 6	4008158033792	10	V2	21,00
	GZ30-6	300	60	15 x 6	4008158033839	10	V2	26,20
	GZ16	160	80	17,5 x 6,8	4008158033853	10	V2	25,30
	GZ20	200	100	22 x 8,5	4008158033914	10	V2	34,30
	GZ30-10	300	100	22 x 8,5	4008158033952	10	V2	40,00
	GZ25	250	120	24,5 x 9,5	4008158033990	10	V2	41,30
	GZ30-12	300	120	24,5 x 9,5	4008158034027	10	V2	44,90
	GZ40-12	400	120	24,5 x 9,5	4008158034058	10	V2	48,70
	GZ30	300	140	28 x 11	4008158034119	10	V2	51,90
	GZ40	400	120	28 x 11	4008158034140	10	V2	60,00
	GZ50	500	120	28 x 11	4008158034171	5	V2	64,40
	GZ60	600	120	28 x 11	4008158034201	5	V2	67,90
	GZ80	800	120	28 x 11	4008158034232	5	V2	82,10
	GZ100	1000	120	28 x 11	4008158034263	5	V2	92,20
GZ125	1250	120	28 x 11	4008158034294	1	V2	124,80	
Original BESSEY all-steel screw clamp GZ with tommy bar								
 <ul style="list-style-type: none"> • 20 % more clamping force per spindle rotation with optimised rail profile • Maximum security with linear transfer of force at the sliding arm • Clamping force up to 6,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • Tommy bar with rounded ends for simple transfer of force when clamping • Pressure plates can be replaced by hand – no need for tools 	GZ16K	160	80	17,5 x 6,8	4008158033877	10	V2	26,40
	GZ20K	200	100	22 x 8,5	4008158033938	10	V2	35,60
	GZ25K	250	120	24,5 x 9,5	4008158034010	10	V2	42,90
	GZ30K	300	140	28 x 11	4008158034133	10	V2	53,50
	GZ40K	400	120	28 x 11	4008158034164	10	V2	61,60
	GZ50K	500	120	28 x 11	4008158034195	5	V2	66,00
	GZ60K	600	120	28 x 11	4008158034225	5	V2	69,50
	GZ80K	800	120	28 x 11	4008158034256	5	V2	83,70
	GZ100K	1000	120	28 x 11	4008158034287	5	V2	93,80
	GZ125K	1250	120	28 x 11	4008158034317	1	V2	126,40
Original BESSEY all-steel screw clamp GZ with swivel handle								
 <ul style="list-style-type: none"> • Clamping force up to 5,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • High-quality 2-component plastic handle • Swivel handle can be folded 90° and rotated 360° without obstruction – even in areas that are difficult to reach • Pressure plates can be replaced by hand – no need for tools 	GZ25KG	250	120	24,5 x 9,5	4008158041384	10	V2	46,50
	GZ30-12KG	300	120	24,5 x 9,5	4008158041391	10	V2	50,10
	GZ40-12KG	400	120	24,5 x 9,5	4008158041407	10	V2	53,70
	GZ50-12KG	500	120	24,5 x 9,5	4008158041414	10	V2	57,50
	GZ60-12KG	600	120	24,5 x 9,5	4008158041421	5	V2	61,10
Pressure cap strips SKS (2 pcs./bag)								
 <ul style="list-style-type: none"> • For screw clamps • For gentle clamping • May be applied on both sides • Cut them to size 	SKS10/20				4008158025582	1	V3	7,90
	SKS20/40				4008158025599	1	V3	8,10
All-steel screw clamp classiX GS with tried-and-tested wooden handle								
 <ul style="list-style-type: none"> • Clamping force up to 5,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • Ergonomically shaped wood handle 	GS10	100	50	11,5 x 5,6	4008158024585	10	V2	13,90
	GS12	120	60	13,5 x 6,5	4008158024592	10	V2	17,20
	GS16	160	80	16 x 7,5	4008158024608	10	V2	20,70
	GS20	200	100	19,5 x 9,5	4008158024615	10	V2	28,10
	GS25	250	120	22 x 10,5	4008158024622	10	V2	33,90
	GS30	300	140	25 x 12	4008158024639	10	V2	42,60
	GS40	400	120	25 x 12	4008158024646	10	V2	49,20
	GS50	500	120	25 x 12	4008158024653	5	V2	52,80
	GS60	600	120	25 x 12	4008158024660	5	V2	55,70
	GS80	800	120	27 x 13	4008158024677	5	V2	67,30
GS100	1000	120	27 x 13	4008158024684	5	V2	75,60	










NEW












BESSEY Price list valid from April 1st, 2022

	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR	
All-steel screw clamp classiX GS with tommy bar									
	<ul style="list-style-type: none"> Clamping force up to 5,000 N Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping Tommy bar with rounded ends for simple transfer of force when clamping 	GS16K	160	80	16 x 7,5	4008158035284	10	V2	21,80
		GS20K	200	100	19,5 x 9,5	4008158035291	10	V2	29,40
		GS25K	250	120	22 x 10,5	4008158035307	10	V2	35,50
		GS30K	300	140	25 x 12	4008158035314	10	V2	44,40
		GS40K	400	120	25 x 12	4008158035321	10	V2	51,00
		GS50K	500	120	25 x 12	4008158035468	5	V2	54,60
		GS60K	600	120	25 x 12	4008158035338	5	V2	57,50
		GS80K	800	120	27 x 13	4008158035345	5	V2	69,10
	GS100K	1000	120	27 x 13	4008158035352	5	V2	77,40	
OMEGA screw clamp GMZ with 2-component plastic handle									
	<ul style="list-style-type: none"> Clamping force up to 5,000 N Fixed jaw with patented OMEGA bow for less clamping force loss Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping High-quality 2-component plastic handle Pressure plates can be replaced with no need for tools 	GM16Z-2K	160	80	16 x 7,5	4008158030838	10	V2	27,70
		GM20Z-2K	200	100	19,5 x 9,5	4008158030852	10	V2	37,70
		GM25Z-2K	250	120	22 x 10,5	4008158030876	10	V2	45,50
		GM30Z-2K	300	140	25 x 12	4008158030890	10	V2	57,00
		GM40Z-2K	400	120	25 x 12	4008158030906	10	V2	65,60
		GM50Z-2K	500	120	25 x 12	4008158030913	5	V2	70,30
		GM60Z-2K	600	120	25 x 12	4008158030920	5	V2	74,20
OMEGA-screw clamp GMZ with tommy bar									
	<ul style="list-style-type: none"> Clamping force up to 5,000 N Fixed jaw with patented OMEGA bow for less clamping force loss Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping Tommy bar with rounded ends for simple transfer of force when clamping Pressure plates can be replaced with no need for tools 	GM20ZK	200	100	19,5 x 9,5	4008158029443	10	V2	37,70
		GM25ZK	250	120	22 x 10,5	4008158029467	10	V2	45,50
		GM30ZK	300	140	25 x 12	4008158029481	10	V2	57,00
		GM50ZK	500	120	25 x 12	4008158029504	5	V2	70,30
		GM60ZK	600	120	25 x 12	4008158029511	5	V2	74,20
Pressure cap strips SKS (2 pcs./bag)									
	<ul style="list-style-type: none"> For screw clamps For gentle clamping May be applied on both sides Cut them to size 	SKS10/20				4008158025582	1	V3	7,90
		SKS20/40				4008158025599	1	V3	8,10
Lever clamp GH									
	<ul style="list-style-type: none"> Greater reserves of power, thanks to optimised rail profile, for even clamping force build-up, especially under maximum utilisation of the clamping range Non-slip trigger release Sintered steel cams – particularly hard-wearing, low friction due to higher surface hardness Quick – up to 5 x faster than regular clamps Secure – vibration resistant Strong – clamping force up to 8,500 N 	GH12	120	60	15 x 6	4008158034324	10	V2	54,00
		GH16	160	80	17,5 x 6,8	4008158034331	10	V2	59,10
		GH20-8	200	80	17,5 x 6,8	4008158034348	10	V2	61,40
		GH20	200	100	22 x 8,5	4008158034355	10	V2	67,90
		GH25	250	120	24,5 x 9,5	4008158034409	10	V2	78,20
		GH30-12	300	120	24,5 x 9,5	4008158034416	10	V2	81,70
		GH40-12	400	120	24,5 x 9,5	4008158034423	10	V2	85,80
		GH30	300	140	28 x 11	4008158034430	10	V2	92,90
		GH40	400	120	28 x 11	4008158034447	10	V2	97,60
		GH50	500	120	28 x 11	4008158034454	5	V2	104,70
		GH60	600	120	28 x 11	4008158034461	5	V2	108,70
	GH80	800	120	28 x 11	4008158034478	5	V2	121,10	
	GH100	1000	120	28 x 11	4008158034485	5	V2	128,70	
Lever clamp SGHS, heavy duty									
	<ul style="list-style-type: none"> Heavy design Rapid – up to 5 x faster than conventional clamps Secure – vibration resistant Strong – clamping force up to 9,500 N 	SG-25HS	300	140	30 x 15	4008158007106	5	V2	128,70
		SG-50HS	500	140	30 x 15	4008158007120	5	V2	171,80










	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Lever clamp classiX GSH								
 <ul style="list-style-type: none"> • Non-slip trigger release • Quick – up to 5 times faster than regular clamps • Secure – unaffected by vibrations • Strong – clamping force up to 7,500 N 	GSH12	120	60	13,5 x 6,5	4008158036595	10	V2	44,30
	GSH16	160	80	16 x 7,5	4008158036601	10	V2	48,50
	GSH20	200	100	19,5 x 9,5	4008158036618	10	V2	55,70
	GSH25	250	120	22 x 10,5	4008158036625	10	V2	64,10
	GSH30	300	140	25 x 12	4008158036632	10	V2	76,20
	GSH40	400	120	25 x 12	4008158036649	10	V2	80,00
	GSH50	500	120	25 x 12	4008158036656	5	V2	85,90
GSH60	600	120	25 x 12	4008158036663	5	V2	89,10	
Fitters' clamp SLM								
 <ul style="list-style-type: none"> • Clamping force up to 8,500 N at tightening torque of 25 Nm • 20 % more clamping force per spindle rotation with optimised rail profile • Maximum safety due to the better linear transfer of force of the sliding arm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° 	SL20M	200	120	28 x 11	4008158034508	5	V2	81,30
	SL25M	250	120	28 x 11	4008158034515	5	V2	83,90
	SL30M	300	120	28 x 11	4008158034522	5	V2	86,90
	SL40M	400	120	28 x 11	4008158034539	5	V2	91,90
	SL50M	500	120	28 x 11	4008158034546	5	V2	97,20
	SL60M	600	120	28 x 11	4008158034553	5	V2	102,30
High-performance clamp SGM								
 <ul style="list-style-type: none"> • Clamping force up to 12,000 N at tightening torque of 40 Nm • 20 % more clamping force per spindle rotation with optimised rail profile • Maximum safety due to the better linear transfer of force of the sliding arm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° 	SG25M	250	140	34 x 13	4008158007229	5	V2	96,20
	SG30M	300	140	34 x 13	4008158007281	5	V2	98,50
	SG40M	400	140	34 x 13	4008158027067	5	V2	111,00
	SG50M	500	140	34 x 13	4008158007328	5	V2	123,50
	SG60M	600	140	34 x 13	4008158007342	5	V2	130,00
	SG80M	800	140	34 x 13	4008158007366	5	V2	142,40
	SG100M	1000	140	34 x 13	4008158007151	5	V2	160,30
	SG125M	1250	140	34 x 13	4008158007182	1	V2	185,70
	SG150M	1500	140	34 x 13	4008158007205	1	V2	210,20
High-performance clamp SGTM, large throat depth								
 <ul style="list-style-type: none"> • Clamping force up to 8,500 N at tightening torque of 40 Nm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° • Opening 200 mm 	SG30T20M	300	200	30 x 15	4008158031316	1	V2	113,10
	SG60T20M	600	200	30 x 15	4008158031323	1	V2	148,30
High-performance clamp STBM								
 <ul style="list-style-type: none"> • Clamping force up to 22,000 N at tightening torque of 70 Nm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° • With 19 mm hexagonal bolt on the end of the spindle 	STB30M	300	175	40 x 20	4008158007588	1	V2	184,60
	STB40M	400	175	40 x 20	4008158007601	1	V2	194,40
	STB50M	500	175	40 x 20	4008158007625	1	V2	202,70
	STB60M	600	175	40 x 20	4008158007649	1	V2	209,80
	STB80M	800	175	40 x 20	4008158007663	1	V2	223,60
	STB100M	1000	175	40 x 20	4008158007540	1	V2	241,80
	STB125M	1250	175	40 x 20	4008158007557	1	V2	295,70
	STB150M	1500	175	40 x 20	4008158007564	1	V2	332,60
High-performance clamp STBS								
 <ul style="list-style-type: none"> • Clamping force up to 35,000 N at tightening torque of 100 Nm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° • With 36 mm hexagonal bolt on the end of the spindle • With wedge for fixing the sliding arm 	STBS30	300	200	50 x 25	4008158007700	1	V2	392,80
	STBS50	500	200	50 x 25	4008158007717	1	V2	426,60
	STBS100	1000	200	50 x 25	4008158007670	1	V2	503,20
High-performance clamp STBVC								
 <ul style="list-style-type: none"> • Clamping force up to 35,000 N at tightening torque of 105 Nm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° • With 19 mm hexagonal bolt on the end of the spindle • With wedge for fixing the sliding arm 	STBVC15	150	100	40 x 20	4008158021355	1	V2	161,90
	STBVC25	250	100	40 x 20	4008158021362	1	V2	177,30
	STBVC35	350	100	40 x 20	4008158021379	1	V2	198,00








BESSEY Price list valid from April 1st, 2022

	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR	
Fitters' clamp classiX GSL									
	• Clamping force up to 7,500 N with a tightening torque of 25 Nm • Special heat-resistant pressure plate, can be tilted by up to 35°	GSL30	300	120	27 x 13	4008158035369	5	V2	71,30
		GSL60	600	120	27 x 13	4008158035376	5	V2	83,90
High-performance clamp classiX GSM									
	• Clamping force up to 11,000 N with a tightening torque of 40 Nm • Special heat-resistant pressure plate, can be tilted by up to 35°	GSM25	250	140	30 x 15	4008158035383	5	V2	78,90
		GSM30	300	140	30 x 15	4008158035390	5	V2	80,80
		GSM40	400	140	30 x 15	4008158035406	5	V2	91,00
		GSM50	500	140	30 x 15	4008158035413	5	V2	101,30
		GSM60	600	140	30 x 15	4008158035420	5	V2	106,60
KombiKlamp SG-VAD									
	• Clamping force up to 7,500 N • Clamping and spreading of round, oval and angled workpieces • Pressure plates can be replaced with no need for tools	SG30VAD	300	120	30 x 15	4008158032368	6	V2	102,20
U-shaped all-steel screw clamp GUZ									
	• Clamping force up to 4,000 N • Double-sided step-over clamping, specially suited for T-profiles and double T-profiles • Low weight • Tempered stainless steel and fixed bracket for resilient and elastic clamping	GU25-12-6ZK	250	120	22 x 10,5	4008158027104	10	V2	63,20
U-shaped high-performance clamp SGU									
	• Clamping force up to 12,000 N at tightening torque of 40 Nm • Double-sided step-over clamping, specially suited for T-profiles and double T-profiles • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	SGU30-14-10	300	140	30 x 15	4008158027043	5	V2	132,40
U-shaped high-performance clamp STBU									
	• Clamping force up to 22,000 N at tightening torque of 80 Nm • Double-sided step-over clamping, specially suited for T-profiles and double T-profiles • With 19 mm hexagonal bolt on the end of the spindle • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	STBU40-17-15	500	175	40 x 20	4008158027098	1	V2	271,60
U-shaped lever clamp GUH									
	• Clamping force up to 3,800 N • Step-over clamping, specially suited for T profiles • Low weight • Quick – up to 5 x faster than regular clamps	GU25-12-6H	250	120	22 x 10,5	4008158027128	5	V2	84,70
Claw clamp GRA									
	• Clamping and spreading force up to 7,500 N • Externally-positioned spindle, protected from welding spatter • Clear access to work area	GRA30-12	300	120	28 x 11	4008158035819	5	V2	119,60
		GRA60-12	600	120	28 x 11	4008158035826	5	V2	136,00
		GRA100-12	1000	120	28 x 11	4008158035833	5	V2	161,70
Pressure piece GRD (2 pcs./bag)									
	• Spreading from the inside outwards • Flat jaw face • V-groove for clamping round and oval workpieces	GRD				4008158004396	10	V2	20,50














		Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Variable high-performance clamps – Complete set SLV									
	<ul style="list-style-type: none"> Clamping force up to 6,500 N Tipping is prevented through central positioning on the workpiece Special heat-resistant pressure plate, can be tilted by up to 35° Clamp can be fed through an opening in the workpiece/component 	SLV100M	1000	120	27 x 13	4008158036366	1	V2	123,00
		SLV150M	1500	120	27 x 13	4008158036373	1	V2	151,40
		SLV200M	2000	120	27 x 13	4008158036380	1	V2	177,90
Variable high performance clamps – Complete set GSV									
	<ul style="list-style-type: none"> Clamping force up to 9,000 N Tipping is prevented through central positioning on the workpiece Long service life thanks to special heat-resistant pressure plate with sintered steel insert, can be tilted by up to 35° Clamp can be fed through an opening in the workpiece/component 	GSV300M	3000	140	30 x 15	4008158036397	1	V2	329,40
SLV size rails									
	<ul style="list-style-type: none"> 27 x 13 mm profile, cold drawn and galvanised End fastenings on both sides can be loosened without tools – for rapid changeover Suitable for all SLV size sliding arms 	3101731	1000		27 x 13	4008158038650	1	V2	51,70
		3101732	1500		27 x 13	4008158038667	1	V2	105,40
		3101733	2000		27 x 13	4008158038674	1	V2	158,10
GSV size rails									
	<ul style="list-style-type: none"> 30 x 15 mm profile, cold drawn and galvanised End fastenings on both sides can be loosened without tools – for rapid changeover Suitable for all GSV size sliding arms 	3101612	3000		30 x 15	4008158036359	1	V2	237,30
Complete sliding arm for SLV sizes									
	<ul style="list-style-type: none"> Three different grip variants/designs Suitable for all SLV size rails 	3101426		120	27 x 13	4008158033228	1	V3	33,20
		3101337		120	27 x 13	4008158033556	1	V3	88,20
		3101338		120	27 x 13	4008158033563	1	V3	55,70
Complete sliding arm for GSV sizes									
	<ul style="list-style-type: none"> One arm design with three throat depths Suitable for GSV size rails 	3101329		120	30 x 15	4008158033471	1	V3	65,20
		3101330		140	30 x 15	4008158033488	1	V3	70,60
		3101331		200	30 x 15	4008158033495	1	V3	90,10
Special pressure plate									
	• Smooth faced (standard version)	3100737		suitable for STBS, STBU		4008158031634	1	V3	33,40
	• Smooth faced (standard version)	3100736		suitable for SLM, SGM, SGTM, STBM, STBVC, SGU, SLV, GSV, SPZ80K		4008158031668	1	V3	22,20
	• Rough faced for secure clamping on dirty surfaces	3101192				4008158030968	1	V3	24,90
	• V-groove face for round, oval and edged workpieces	3101193				4008158030975	1	V3	24,90
	• Cutting ring for SPZ80K While stocks last	3101219		suitable for SLV, GSV, SPZ80K		4008158032184	1	V3	24,20
C-clamp VC									
	<ul style="list-style-type: none"> Clamping force of up to 15,000 N Nearly unbreakable and tempered Tried-and-true BESSEY all-steel quality 	VC2	50	50	19,5 x 9,5	4008158019291	10	V2	39,80
		VC3	75	50	22 x 10,5	4008158019307	10	V2	45,50
		VC4	100	60	25 x 12	4008158019314	10	V2	58,80
		VC6	150	75	27 x 13	4008158019321	10	V2	77,40
		VC8	200	90	30 x 15	4008158019338	5	V2	97,50
		VC10	250	100	40 x 20	4008158019345	5	V2	124,10







BESSEY Price list valid from April 1st, 2022

		Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
C-clamp SC									
	<ul style="list-style-type: none"> Clamping force up to 22,000 N Drop forged 	SC40	40	40		4008158019178	10	V2	32,70
		SC60	60	55		4008158019185	10	V2	37,50
		SC80	80	65		4008158019192	10	V2	43,30
		SC100	100	75		4008158019208	10	V2	52,20
		SC120	120	85		4008158019215	10	V2	62,40
		SC150	150	95		4008158019222	10	V2	70,30
		SC200	200	105		4008158019239	5	V2	89,00
C-clamp CDF-C									
	<ul style="list-style-type: none"> Clamping force up to 18,000 N Drop forged The copper-plated spindle prevents welding splatter from sticking 	CDF403C	75	60		4008158028958	6	V2	37,80
		CDF404C	105	85		4008158028965	6	V2	45,50
		CDF406C	150	100		4008158028972	6	V2	60,80
		CDF408C	205	125		4008158028989	6	V2	76,90
		CDF410C	50-245	150		4008158028996	4	V2	94,50
Parallel grip GRZ									
	<ul style="list-style-type: none"> Parallel jaw faces Prism recess for small round parts Includes pressure caps for gentle clamping of sensitive surfaces 	GRZ10	100	65		4008158009711	10	V3	76,00
		GRZ20	200	65		4008158009728	10	V3	83,40
C-grip GRZC									
	<ul style="list-style-type: none"> For step-over clamping from both sides 	GRZC	110	80		4008158009636	10	V3	88,60
Pipe grip GRZRO									
	<ul style="list-style-type: none"> Ideal for holding round objects of constant diameter Includes pressure caps Gentle clamping of sensitive surfaces Suitable for tack welding, heat-resistant up to 200° C 	GRZRO		65		4008158009667	10	V3	107,90
Earth (ground) clamp LP / TP with tried-and true wooden handle									
	<ul style="list-style-type: none"> With malleable cast iron arms Ergonomically shaped wood handle Grounding connection hole in the upper part 	LP-1	150	60	20 x 5	4008158004907	10	V1	20,60
		TP-1	150	80	25 x 6	4008158015422	10	V1	25,60
Earth (ground) clamp LP / TP with thumb screw									
	<ul style="list-style-type: none"> With malleable cast iron arms Practical thumb screw Grounding connection hole in the upper part TP...F-RK: Cable strain relief at rail end / ring internal diameter 30 mm 	LP-1F	150	60	20 x 5	4008158004914	10	V1	20,80
		TP-1F	150	80	25 x 6	4008158015439	10	V1	27,30
		TP-2F	150	60	30 x 8	4008158031743	20	V1	34,30
		TP-1F-RK	150	80	25 x 6	4008158032252	10	V1	29,80
		TP-2F-RK	150	60	30 x 8	4008158032269	20	V1	36,60
Earth (ground) clamp TP with tommy bar									
	<ul style="list-style-type: none"> With malleable cast iron arms Tommy bar with rounded ends for simple transfer of force when clamping Grounding connection hole in the upper part 	TP-1K	150	80	25 x 6	4008158015446	10	V1	27,30
Earth (ground) clamp CP									
	<ul style="list-style-type: none"> With C-shaped malleable cast iron arms 	CP-F	50	30		4008158010236	40	V1	11,50






	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR	
Multi angle pad VAD (2 pcs./bag)									
	VAD				4008158004945	1	V3	61,40	
	<ul style="list-style-type: none"> For adaptation to round, oval and angular workpieces in particular Infinite angle adjustment from 60° inner to 60° outer Suitable for original BESSEY malleable cast iron screw clamps TG as well as GZ and GMZ from 100 mm throat depth and clamping elements for welding tables TWV and TW 								
Edge clamp KT									
	KT5-1CP				4008158026176	1	V1	16,00	
	KT5-2				4008158004587	1	V1	25,60	
	<ul style="list-style-type: none"> Practical accessory for clamping edges and difficult to reach areas Suitable for conventional screw clamps with a max. rail thickness of 13 mm 								
Welders' angle clamps WSM									
	WSM9	2 x 90			4008158016832	1	V3	208,10	
	WSM12	2 x 120			4008158016825	1	V3	235,70	
	<ul style="list-style-type: none"> Automatic adjustment to workpieces of various thicknesses Sturdy jaws and base plate made from high-quality cast iron The copper-plated spindle prevents welding splatter from sticking Precise 90°-angles 								
Welding clamp set SM 10									
	SM10-SET	100			4008158007502	1	V3	358,20	
	<ul style="list-style-type: none"> Clamping aid for clamping components of different thicknesses at any chosen angle Sturdy body and base plate made from high-quality cast iron The copper-plated spindle prevents welding splatter from sticking Angle range: 5°-180° 								
Clamping element with variable throat depth TWV									
	TWV16: Clamping force up to 2,500 N, TWV28: Clamping force up to 5,500 N	TWV16-20-15-2K	200	30-150	22 x 8,5	4008158038759	1	V3	66,50
	<ul style="list-style-type: none"> Precise, individual clamping Tempered profile and sliding arm for sprung and elastic clamping Infinitely adjustable throat depth Various design versions: High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping 	TWV16-20-15K	200	30-150	22 x 8,5	4008158038773	1	V3	66,50
		TWV16-20-15H	200	60-150	22 x 8,5	4008158038766	1	V3	91,70
		TWV28-30-17-2K	300	40-175	28 x 11	4008158036823	1	V3	77,90
		TWV28-30-17K	300	40-175	28 x 11	4008158036847	1	V3	77,90
		TWV28-30-17H	300	110-175	28 x 11	4008158036854	1	V3	107,00
Clamping element with fixed throat depth TW									
	TW16: Clamping force up to 3,000 N, TW28: Clamping force up to 5,000 N	TW16-20-10-2K	200	100	22 x 8,5	4008158038681	1	V3	40,70
	<ul style="list-style-type: none"> Precise, individual clamping Tempered profile and sliding arm for sprung and elastic clamping Various design versions: High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping 	TW16-20-10K	200	100	22 x 8,5	4008158038704	1	V3	40,70
		TW16-20-10H	200	100	22 x 8,5	4008158038698	1	V3	72,40
		TW28-30-12-2K	300	120	28 x 11	4008158036816	1	V3	47,60
		TW28-30-14-2K	300	140	28 x 11	4008158036861	1	V3	52,70
		TW28-30-12K	300	120	28 x 11	4008158036878	1	V3	47,60
		TW28-30-14K	300	140	28 x 11	4008158036885	1	V3	52,70
		TW28-30-12H	300	120	28 x 11	4008158036892	1	V3	85,40
		TW28-30-14H	300	140	28 x 11	4008158036953	1	V3	90,50
Clamping element with special pressure plate TWM28									
	TW28-30-12	300	120	28 x 11	4008158036809	1	V3	84,40	
	<ul style="list-style-type: none"> Clamping force up to 6,500 N Precise, individual clamping Tempered profile and sliding arm for sprung and elastic clamping Tempered spindle – particularly sturdy and wear-resistant – for noticeably improved service life Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° 								









BESSEY Price list valid from April 1st, 2022

	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR	
Special pressure plate for TWM28									
	• Smooth faced (standard version) 3100736				4008158031668	1	V3	22,20	
	• Rough faced for secure clamping on dirty surfaces 3101192				4008158030968	1	V3	24,90	
	• V-groove face for round, oval and edged workpieces 3101193				4008158030975	1	V3	24,90	
Clamping element with gripping arm TW28GRS									
	<ul style="list-style-type: none"> • Clamping force up to 5.000 N • The spindle is located on the outside for free access to the work area and to protect against welding spatter • Special, sturdy V-grooved pressure plate, ideal even for clamping round or square workpieces • Pivotal and infinitely adjustable in terms of height • Particularly suited to clamping with the tightest of space constraints, in narrow openings as well as for short projections 	TW28GRS30-12	300	120	28 x 11	4008158036830	1	V3	116,20
Vario table clamping attachment TWVAD (2 pcs./bag)									
	• Specifically adapted to round, oval and square workpieces • Angle infinitely adjustable from 60° internal to 60° external • Various design versions: • TW16VAD/TW28VAD – version with bolt – for rapidly aligning and fixing the workpiece to the welding table • TWVAD – version without bolt – for variable movement on the welding table	TW16VAD				4008158038728	1	V3	38,60
		TW28VAD				4008158036908	1	V3	39,90
		TWVAD				4008158036915	1	V3	29,90
Toggle clamp adapter TWA-STC									
	• Accessory for BESSEY STC toggle clamp with horizontal base plate • With bolt – for use directly on the welding table • Without bolt – for screwing to the extension TWX	TW16A-STC				4008158038711	1	V3	24,10
		TW28A-STC				4008158036922	1	V3	25,20
Extension TWX									
	• Accessory for BESSEY toggle clamp adapter TWA-STC, TWVAD and TW28AV • Lowering of round workpieces is infinitely adjustable using the adjusting ring in the table	TW16X	300			4008158038735	1	V3	19,70
		TW28X	300			4008158036939	1	V3	26,50
Tilting adapter TW28AV									
	<ul style="list-style-type: none"> • Clamping force up to 3,000 N • Accessory for BESSEY extension TW28X • Pivoting spindles with stepless adjustment from -52° to +52° • Lockable trapezoidal nut for secure fastening of the workpiece • High quality, 2-component plastic grip with long spindle 	TW28AV	160			4008158038742	1	V3	72,40
BAS-C compact clamp, fixing hole open									
	• Clamping force up to 16,000 N • Space-saving construction, thus up to 30 % smaller than comparable competitive models • Housing and pressure arm made from hardened and tempered stainless steel, making it extremely robust and durable • Available in three pressure arm versions: Short and long pressure arm with swivelable aluminium pressure shoe or pointed pressure arm for clamping on narrow sections or in confined spaces • BAS-C with open fixing hole and BAS-CB with closed fixing hole for M10 / M12	BAS-C9-4	88	40		4008158021812	1	V3	283,60
		BAS-C10-6	97	60		4008158021805	1	V3	293,70
		BSP-C10-6	97	60		4008158021829	1	V3	292,90








		Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
BAS-CB compact clamp, fixing hole closed									
 <p>BAS-CB9-4 BAS-CB10-6 BSP-CB10-6</p>	<ul style="list-style-type: none"> Clamping force up to 16,000 N Space-saving construction, thus up to 30 % smaller than comparable competitive models Housing and pressure arm made from hardened and tempered stainless steel, making it extremely robust and durable Available in three pressure arm versions: Short and long pressure arm with swivelable aluminium pressure shoe or pointed pressure arm for clamping on narrow sections or in confined spaces BAS-C with open fixing hole and BAS-CB with closed fixing hole for M10 / M12 	BAS-CB9-4	88	40		4008158021843	1	V3	283,60
		BAS-CB10-6	97	60		4008158021836	1	V3	293,70
		BSP-CB10-6	97	60		4008158021850	1	V3	292,90
Base unit BASO									
	<ul style="list-style-type: none"> 80 mm extension Stackable Fastening hole open, including cheese head screw Suitable for all BESSEY BAS clamps 	BASO	80			4008158019031	1	V3	89,50
Hold down table clamps BS									
	<ul style="list-style-type: none"> Clamping force up to 10,000 N Tilting and infinitely height-adjustable For drilling and light milling work Lever mechanism for rapid clamping and release 	BS2N	200	100	19,5 x 9,5	4008158018133	1	V3	134,70
		BS3N	200	120	22 x 10,5	4008158018140	1	V3	153,00
		BS4N	200	120	28 x 11	4008158018157	1	V3	167,30
		BS5N	240	140	30 x 15	4008158018164	1	V3	196,10
		BS6N	500	140	30 x 15	4008158031729	1	V3	292,10
Claw machine clamp GRS									
	<ul style="list-style-type: none"> Clamping force up to 7,500 N Swivelling, vertically infinitely adjustable clamp Externally-positioned spindle to allow unobstructed access to the work area and clamping in confined spaces For drilling and light milling work 	GRS20-12	200	123-140	28 x 11	4008158035840	1	V3	168,60
Hold down table clamps BSG									
	<ul style="list-style-type: none"> Clamping force up to 12,000 N For fastening to tables and other equipment Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° 	BSG21-14	210	140	30 x 15	4008158027135	1	V3	132,10
Vertical toggle clamp with open arm and horizontal base plate STC-VH									
	<ul style="list-style-type: none"> Lever is in vertical clamping position Automatic, seamless adjustment of the clamping height up to 35 mm with almost constant clamping force – without manual changing of the pressing screw position Adjustable clamping force up to 2,500 N, based on the adjusting screw in the joint Sturdy, tempered sheet steel for longer service life Base plate hole pattern suitable for millimetres and inches High-quality, oil-resistant two-component plastic handle 	STC-VH20	35			4008158036984	6	V3	27,20
		STC-VH50	40			4008158036991	6	V3	29,10











BESSEY Price list valid from April 1st, 2022

	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Horizontal toggle clamp with open arm and horizontal base plate STC-HH								
 <ul style="list-style-type: none"> In the clamped position, the lever is horizontal Automatic and infinitely variable adjustment of the clamping height up to 35 mm while clamping force remains unchanged – without having to make manual changes to the position of the pressure screws Clamping force is variable up to 2,500 N depending on the adjustment of the set screw in the cantilevered joint Sturdy, tempered metal sheets for a long service life Hole pattern on the base plate designed to facilitate fast and secure clamping set-up for metric and imperial High-quality oil resistant two-component plastic handle 	STC-HH20	35			4008158036212	6	V3	26,70
	STC-HH20SB	35			4008158036748	3	V3	27,70
	STC-HH50	40			4008158035734	6	V3	29,10
	STC-HH50SB	40			4008158036755	3	V3	30,10
	STC-HH70	60			4008158035741	6	V3	29,90
	STC-HH70SB	60			4008158036762	3	V3	30,90
Push/pull clamp with horizontal base plate STC-IHH								
 <ul style="list-style-type: none"> Moving the handle moves the push-pull rod Automatic and infinitely variable adjustment of the clamping height up to 13 mm while clamping force remains unchanged – without having to make manual changes to the position of the pressure screws Adjustable clamping force up to 2,500 N, based on the adjusting screw in the joint Sturdy, tempered metal sheets for a long service life Base plate hole pattern suitable for millimetres and inches High-quality oil resistant two-component plastic handle 	STC-IHH15	25			4008158036243	6	V3	27,30
	STC-IHH25	35			4008158035758	6	V3	30,60
	STC-IHH25SB	35			4008158036779	3	V3	31,60
STC accessory set for multifunction tables								
 <ul style="list-style-type: none"> For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm 	STC-HH50-T20	40			4008158040301	1	V3	40,70
	STC-HH70-T20	60			4008158040318	1	V3	41,50
	STC-IHH25-T20	35			4008158040325	1	V3	42,20
	STC-VH50-T20	40			4008158040332	1	V3	40,70
Adapter for multifunction tables STC-SET-T20								
 <ul style="list-style-type: none"> For using the BESSEY toggle clamps on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm 	STC-SET-T20				4008158040288	10	V3	11,60
Vario K Body REVO parallel clamp KREV								
 <ul style="list-style-type: none"> Clamping force up to 8,000 N Very large parallel clamping surfaces with 3 removable pressure caps Metal-reinforced plastic housing and optimised sliding arm with double slide protection for more power and safety: The set clamping force is maintained and the sliding arm cannot unintentionally slip in the unclamped condition Can be converted without tools for spreading tasks High-quality 2-component symmetrical plastic handle with hexagon socket for the comfortable application of the clamping force (max. torque 17 Nm) With continuously adjustable and fixable upper section for optimum positioning on the workpiece 	KREV100-2K	1000	95	29 x 9	4008158040202	2	V3	96,50
	KREV200-2K	2000	95	29 x 9	4008158040226	2	V3	140,40
	KREV250-2K	2500	95	29 x 9	4008158040233	2	V3	162,30
	KREV150-2K	1500	95	29 x 9	4008158040219	2	V3	118,50








		Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
K Body REVO parallel clamp KRE									
	<ul style="list-style-type: none"> Clamping force up to 8,000 N Very large parallel clamping surfaces with 3 removable pressure caps Metal-reinforced plastic housing and optimised sliding arm with double slide protection for more power and safety: The set clamping force is maintained and the sliding arm cannot unintentionally slip in the unclamped condition Can be converted without tools for spreading tasks High-quality 2-component symmetrical plastic handle with hexagon socket for the comfortable application of the clamping force (max. torque 17 Nm) 	KRE30-2K	300	95	29 x 9	4008158040127	2	V3	57,70
		KRE60-2K	600	95	29 x 9	4008158040134	2	V3	71,10
		KRE80-2K	800	95	29 x 9	4008158040141	2	V3	81,10
		KRE100-2K	1000	95	29 x 9	4008158040158	2	V3	90,10
		KRE125-2K	1250	95	29 x 9	4008158040165	2	V3	101,30
		KRE150-2K	1500	95	29 x 9	4008158040172	2	V3	111,80
		KRE200-2K	2000	95	29 x 9	4008158040189	2	V3	133,40
		KRE250-2K	2500	95	29 x 9	4008158040196	2	V3	156,10
Variable jaw KRE-VO									
	<ul style="list-style-type: none"> Steplessly adjustable and fixable upper section for improved workpiece positioning Very large parallel clamping surfaces With 2 pressure caps to protect delicate surfaces Can be converted to spreading function with no need for tools 	KRE-VO				4008158040240	12	V3	22,50
Framing set KP									
	<ul style="list-style-type: none"> KP Framing System (from 30 cm to 250 cm/12-98) with four 90° KP Blocks Separately adjustable clamping force with 2 inserted clamps per corner Lightweight / easy to assemble On carded hang pack 	KP				4008158004549	12	V3	32,30
Tilting K Body clamp adapter KR-AS (2 pcs./bag)									
	<ul style="list-style-type: none"> Adapter with tilting clamping jaws with a tilt range of -15° to +15° Clamping on sloping and parallel surfaces On carded hang pack 	KR-AS				4008158032542	12	V3	14,90
K Body parallel clamp extender KBX									
	<ul style="list-style-type: none"> Connect any two K Body parallel clamps to increase the clamping capacity. The connector is made of robust aluminum. On carded hang pack 	KBX20				4008158034997	12	V3	21,10
Table clamp									
	<ul style="list-style-type: none"> Especially for DIY applications and domestic appliances Special accessory for angle clamps WS 3/WS 6, screw clamp S 10 and K Body REVO parallel clamps KRE/KREV and KR/KRV to hold them to a work surface edge 	TK6	60	22		4008158015255	50	V3	4,50
		RB269	60	28		4008158026077	25	V3	9,50
		LM10/5R8	100	50		4008158032238	50	V3	21,80
		LM15/5R8	150	50		4008158032245	50	V3	22,50
Lightweight parallel clamp UK UniKlamp									
	<ul style="list-style-type: none"> Clamping force up to 1,500 N Parallel jaw faces with extra-large contact surfaces Clamping of various shapes, along the whole length of the rail Universally applicable Light and easy-to-handle No need for tools for switching between clamping and spreading On carded hang pack 	UK16	160	80	20 x 5	4008158027197	6	V3	22,30
		UK30	300	80	20 x 5	4008158027203	6	V3	22,60
		UK60	600	80	20 x 5	4008158027210	6	V3	24,00
		UK80	800	80	20 x 5	4008158405346	6	V3	28,00
		UK100	1000	80	20 x 5	4008158035772	6	V3	29,10
Area pressure clamps FK									
	<ul style="list-style-type: none"> Clamping force up to 5,000 N 2 large, tilting jaw faces For workpieces with a sloping contact surface Large-area clamping of all workpieces from both sides 	FK16-8	160	80	16 x 7,5	4008158000909	10	V3	37,30
		FK20-10	200	100	19,5 x 9,5	4008158000923	10	V3	47,40
		FK40-10	400	100	19,5 x 9,5	4008158000930	5	V3	53,60











BESSEY Price list valid from April 1st, 2022

		Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Box clamp KS									
	<ul style="list-style-type: none"> Clamping force up to 5,000 N Infinitely adjustable clamping jaws Clamp on angled and parallel surfaces 	KS100	200-1000	16		4008158032054	1	V3	121,10
		KS150	200-1500	16		4008158032061	1	V3	135,20
	• Extension	KSV	1000			4008158032078	1	V3	61,10
GearKlamp GK									
	<ul style="list-style-type: none"> High-quality two-component plastic handle positioned around the rail, so clamp can be used in tight spaces Clamping force up to 2,000 N Easy-to-move trapezoidal thread spindle with swivelling pressure plate Quick-release shift button to quickly adjust sliding bar On carded hang-pack 	GK15	150	60	19 x 6	4008158040844	6	V3	27,50
		GK30	300	60	19 x 6	4008158040813	6	V3	29,90
		GK45	450	60	19 x 6	4008158040820	6	V3	32,10
		GK60	600	60	19 x 6	4008158040837	6	V3	35,70
One-handed clamp EHZ with 2-component handle									
	<ul style="list-style-type: none"> Clamping force of up to 3,500 N Clamp and fix in place quickly and simply with just one hand With protection caps on the clamping surfaces On carded hang pack 	EHZ30-2K	300	100	19,5 x 9,5	4008158030661	6	V2	48,40
		EHZ60-2K	600	100	19,5 x 9,5	4008158030692	6	V2	58,60
One-handed clamp EZ									
	<ul style="list-style-type: none"> Clamping force up to 2,700 N Conversion for spreading – tool-free with EZM, EZL, EZXL thanks to simple release mechanism at the touch of a button on the top section Ergonomically shaped 2-component plastic handle with pump mechanism and integrated release lever behind the rail Protective caps with cross prism on the top for securely holding round, pointed and angular parts One-handed operation with little effort required On carded hang pack 	EZS11-4SET	110	40	7 x 2,5	4008158041117	10	V3	15,20
		EZM15-6	150	60	14 x 5	4008158041124	6	V3	15,90
		EZM30-6	300	60	14 x 5	4008158041131	6	V3	17,70
		EZL15-8	150	80	18 x 5	4008158041148	6	V3	21,80
		EZL30-8	300	80	18 x 5	4008158041155	6	V3	24,10
		EZL45-8	450	80	18 x 5	4008158041162	6	V3	25,80
		EZL60-8	600	80	18 x 5	4008158041179	6	V3	29,10
		EZXL30-9	300	90	22 x 8	4008158041209	6	V3	33,40
		EZXL60-9	600	90	22 x 8	4008158041223	6	V3	40,20
		EZXL90-9	900	90	22 x 8	4008158041230	6	V3	45,70
One-handed clamp EZS									
	<ul style="list-style-type: none"> Clamping force up to 2,000 N No tools required for spreading thanks to intelligent release mechanism in upper section Ergonomically shaped 2-component plastic handle behind the rail On carded hang pack 	EZS15-8	150	80	19 x 6	4008158034584	6	V3	26,00
		EZS30-8	300	80	19 x 6	4008158034591	6	V3	29,00
		EZS45-8	450	80	19 x 6	4008158034607	6	V3	31,20
		EZS60-8	600	80	19 x 6	4008158034614	6	V3	35,00
		EZS90-8	900	80	19 x 6	4008158035000	6	V3	39,60
One-handed clamp DuoKlamp DUO									
	<ul style="list-style-type: none"> Clamping force up to 1,200 N Change from clamping to spreading by switching, not converting Handle with pump lever parallel to the rail Convenient one-handed operation, with little effort required All-round clamping – in front of, behind and at the side of the rail On carded hang pack 	DUO16-8	160	85	20 x 5	4008158028521	6	V3	26,40
		DUO30-8	300	85	20 x 5	4008158028538	6	V3	29,20
		DUO45-8	450	85	20 x 5	4008158028545	6	V3	31,80
		DUO65-8	650	85	20 x 5	4008158028552	6	V3	35,40
Rafter clamp SPZ									
	<ul style="list-style-type: none"> Clamping force up to 12,000 N For all roofing and timber frame constructions SPZ 80 K with 17 mm hexagonal bolt and heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° 	SPZ60K	600	120	27 x 13	4008158026930	5	V2	107,20
		SPZ80K	800	140	30 x 15	4008158027425	2	V2	167,70









	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR	
Special pressure plate for SPZ80K									
	• Smooth faced (standard version) 3100736				4008158031668	1	V3	22,20	
	• Rough faced for secure clamping on dirty surfaces 3101192				4008158030968	1	V3	24,90	
	• V-groove face for round, oval and edged workpieces 3101193				4008158030975	1	V3	24,90	
	• Cutting ring for SPZ80K • While stocks last 3101219				4008158032184	1	V3	24,20	
High-tech lever clamp KliKlamp KLI									
	<ul style="list-style-type: none"> Clamping force up to 1,200 N Feather light yet ultra strong Sturdy fixed and sliding arms made from lightweight magnesium Quick and vibration free clamping On carded hang pack 	KLI12	120	80	20 x 5	4008158027227	6	V3	24,30
		KLI16	160	80	20 x 5	4008158027234	6	V3	25,10
		KLI20	200	80	20 x 5	4008158027241	6	V3	25,70
		KLI25	250	80	20 x 5	4008158027258	6	V3	26,90
		KLI30	300	80	20 x 5	4008158028743	6	V3	27,70
		KLI40	400	80	20 x 5	4008158028750	10	V3	29,80
High-tech lever clamp KliKlamp set in systainer KLI-S									
	<ul style="list-style-type: none"> Practical systainer T-Loc, stackable Ideal for assembly work 	KLI-S				4008158027296	1	V3	477,50
High-tech lever clamp KliKlamp counter display KLI-D									
	<ul style="list-style-type: none"> Professional sales display Optimum presentation of the KliKlamp 	KLI-D				4008158027302	1	V3	410,80
Light duty bar clamp U-style LMU									
	<ul style="list-style-type: none"> Clamping force up to 1,500 N Step-over clamping Comes with two protective caps Small and easy to handle Light weight 	LMU10/5	100	50	15 x 5	4008158032559	24	V1	8,60
		LMU15/5	150	50	15 x 5	4008158032566	24	V1	8,90
		LMU20/5	200	50	15 x 5	4008158032573	24	V1	9,30
Die-cast zinc screw clamp LM									
	<ul style="list-style-type: none"> Clamping force up to 1,500 N Clamping arms manufactured in toughened die cast zinc black powder coated to prevent chemical corrosion Comes with protective cap Small and easy to handle Light weight 	LM10/5	100	50	15 x 5	4008158004600	10	V1	10,20
		LM15/5	150	50	15 x 5	4008158004723	10	V1	10,50
		LM20/5	200	50	15 x 5	4008158005485	10	V1	10,60
		LM25/5	250	50	15 x 5	4008158005607	10	V1	12,00
		LM30/5	300	50	15 x 5	4008158005898	10	V1	12,10
		LM15/8	150	80	20 x 5	4008158004853	10	V1	16,90
		LM20/8	200	80	20 x 5	4008158006147	10	V1	17,70
		LM25/8	250	80	20 x 5	4008158005676	10	V1	18,50
		LM30/8	300	80	20 x 5	4008158005966	10	V1	18,90
		LM20/10	200	100	25 x 6	4008158005430	10	V1	28,00
		LM25/10	250	100	25 x 6	4008158006246	10	V1	28,90
		LM30/10	300	100	25 x 6	4008158005829	10	V1	30,00
		LM40/10	400	100	25 x 6	4008158006031	10	V1	32,10
		LM50/10	500	100	25 x 6	4008158006321	10	V1	34,00
LM60/10	600	100	25 x 6	4008158006413	10	V1	36,60		
LM80/10	800	100	25 x 6	4008158006475	10	V1	39,80		
Wood Klemmy HKL									
	<ul style="list-style-type: none"> Upper and lower arms and lever made from high-quality hardwood Cork pads for gentle clamping 	HKL20	200	110	20 x 5	4008158026831	10	V1	14,20
		HKL30	300	110	20 x 5	4008158026848	10	V1	15,70
		HKL40	400	110	20 x 5	4008158026855	10	V1	17,60
		HKL60	600	110	20 x 5	4008158026862	10	V1	20,00
		HKL80	800	110	20 x 5	4008158026879	10	V1	21,10
		HKL100	1000	110	20 x 5	4008158026886	10	V1	22,70











BESSEY Price list valid from April 1st, 2022

	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR	
Aluminium mini clamp AM									
	<ul style="list-style-type: none"> Ideal for modelling and hobbyists Low weight of just 55 g 	AM4	47	34		4008158001449	100	V3	5,80
Parallel screw clamp PA									
	<ul style="list-style-type: none"> Twin spindles Precisely parallel positioning of the jaw faces 	PA28	36	19		4008158005362	50	V3	12,10
		PA40	46	26		4008158005386	50	V3	14,50
		PA55	60	35		4008158006802	50	V3	18,00
		PA70	87	50		4008158006826	20	V3	24,80
		PA105	116	72		4008158005348	20	V3	33,40
Mini Vice S 10									
	<ul style="list-style-type: none"> Low weight Parallel clamping with guide rods Clamping at an angle without guide rods (max. 25°) Easy to attach, with 2 table clips supplied On carded hang pack 	S10-ST	100			4008158001401	10	V3	26,90
Table clamp									
	<ul style="list-style-type: none"> Especially for DIY applications and domestic appliances Special accessory for angle clamps WS 3/WS 6, screw clamp S 10 and K Body REVO parallel clamps KRE/KREV and KR/KRV to hold them to a work surface edge 	TK6	60	22		4008158015255	50	V3	4,50
		RB269	60	28		4008158026077	25	V3	9,50
		LM10/5R8	100	50		4008158032238	50	V3	21,80
		LM15/5R8	150	50		4008158032245	50	V3	22,50
One-handed table clamp EZR									
	<ul style="list-style-type: none"> With special guide on the top section for grooves 12 x 6.5 mm to 12 x 8 mm Use with adapter on the bottom section and rotated top section for secure fastening of guide rails from Festool, Protool, Metabo, Makita, Hitachi/Hikoki, Dewalt, etc. and for clamping in profiles and on work benches Use with adapter on the top or bottom section for step-over clamping Use with or without adapter – for clamping or spreading Clamping force up to 750 N Ergonomically shaped 2-part plastic handle with pump lever behind the rail On carded hang pack 	EZR15-6SET	150	60	14 x 5	4008158041438	8	V3	43,10
All-steel table clamp GTR									
	<ul style="list-style-type: none"> Specially forged fixed arm for 12 x 8 mm grooves For secure fastening of guide rails from Festool, Protool, Metabo, Makita, Hitachi/Hikoki, etc. and for clamping in profiles as well as work tables• Clamping force up to 1,800 N Ergonomically shaped wooden handle GTR12SET: On carded hang pack 	GTR12	120	60	13,5 x 6,5	4008158018126	10	V2	18,00
		GTR12SET	120	60	13,5 x 6,5	4008158039374	5	V2	36,00
		GTR16B6	160	60	13,5 x 6,5	4008158037165	10	V2	19,50
		GTR30B6	300	60	13,5 x 6,5	4008158038780	10	V2	22,00
All-steel table clamp GTRH with lever handle									
	<ul style="list-style-type: none"> Specially forged fixed arm for 12 x 8 mm grooves For secure fastening of guide rails from Festool, Protool, Metabo, Makita, Hitachi/Hikoki, etc. and for clamping in profiles as well as work tables Rapid – up to 5 times faster than conventional clamps Secure – unaffected by vibrations Strong – clamping force up to 2.400 N 	GTR16S6H	160	60	13,5 x 6,5	4008158035277	10	V2	47,10









	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR	
Spring clamp VarioClippix XV									
	• Variable opening width up to 100 mm, yet can be operated with one hand • Lightweight, functional and easy to handle • Extremely sturdy • On carded hang pack	XV3-50	55	37		4008158028569	12	V3	7,00
		XV5-100	100	50		4008158028576	12	V3	8,90
Spring clamp VarioClippix XV									
	• Variable opening width up to 170 mm, yet can be operated with one hand • Lightweight, functional and easy to handle • Extremely sturdy • On carded hang pack	XV5-170	170	50		4008158031453	12	V3	9,70
Spring clamp Clippix XC									
	• Lightweight, functional and easy to handle • Extremely sturdy • XC1-SET – On carded hang pack	XC1	20	20		4008158031392	10	V3	1,50
		XC1-SET	20	20		4008158031408	12	V3	6,10
		XC2	25	30		4008158028583	10	V3	2,20
		XC3	35	37		4008158028590	10	V3	3,20
		XC5	50	50		4008158028606	10	V3	4,70
		XC7	75	70		4008158028613	10	V3	6,20
Needle nose spring clamp Clippix XCL									
	• Long, pointed clamping arm for working in tight spaces • Large throat depth for clamping in borderless areas • Soft, slip-proof grip pads • XCL2-SET – On carded hang pack	XCL2	55	60		4008158031422	10	V3	3,50
		XCL2-SET	55	60		4008158031446	10	V3	6,00
		XCL5	70	110		4008158031439	10	V3	5,20
Spring clamp XM									
	• Tips and handles made of PVC prevent marring • Heavy duty springs for firm grip and powerful clamping • Corrosion resistant nickel plated	XM3EU	25	32		4008158041063	48	V3	2,90
		XM5EU	50	57		4008158041070	24	V3	4,30
		XM7EU	75	85		4008158041568	10	V3	6,90
Ratchet clamp XCR									
	• Ideal for light clamping work that requires a greater throat depth and for workpiece-friendly clamping • Comfortable handling thanks to ergonomic 2-component plastic handle and one-hand operation • Quick opening and closing thanks to robust ratchet mechanism • Twice as strong compared to conventional spring clamps	XCR2	55	50		4008158041728	6	V3	10,60
		XCR4	100	75		4008158041735	4	V3	12,70
Band clamp BAN 700									
	• Even pressure on mitre joints • Crank handle can be relocated for right and left-handed users • Contains: 1 band clamp, 4 Vario corners • On carded hang pack	BAN700				4008158023250	5	V3	47,10
Band clamp BAN 400									
	• Clamp right-angled workpieces with 4 plastic corners • Even pressure at all 4 corners • On carded hang pack	BAN400				4008158031460	12	V3	31,40
Vario corners BVE (6 pcs./bag)									
	• Infinite angle adjustment from 60-180° • On carded hang pack	BVE				4008158023267	6	V3	14,00
Angle clamp WS									
	• Automatic adjustment to variously-sized workpieces • Quick – clamp with a spindle • Stable body • For attaching with table clamp – available as an accessory • WS 3 – on carded hang pack	WS3	2 x 55			4008158010427	10	V3	58,80
		WS6	2 x 100			4008158010410	4	V3	84,40











BESSEY Price list valid from April 1st, 2022

		Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Angle clamp WS									
	<ul style="list-style-type: none"> Clamp variously-sized workpieces with 2 spindles For light clamping work Made from die-cast zinc On carded hang pack 	WS1	2 x 73			4008158028255	12	V3	9,30
Mitre clamping system MCX									
	<ul style="list-style-type: none"> Mitre system for 22.5°, 30°, 45° and 60° angles Even pressure on the mitre Angle adapter can be changed without tools Practical accessory for BESSEY screw clamps TG, GZ, GMZ, EHZ, EZS, DUO and EZL/EZXL 	MCX	100			4008158032030	1	V3	37,50
One-handed edge clamp EKT									
	<ul style="list-style-type: none"> For rapid one-handed operation Low weight Opening up to 55 mm 	EKT55	10-55	45		4008158026473	1	V3	67,30
Edge clamp Kantenfix KF									
	<ul style="list-style-type: none"> For quick one-handed operation Widths up to 80 mm 	KF2	10-40	80		4008158031880	4	V3	66,00
		KF4	10-80	110		4008158031897	4	V3	142,10
Edge clamp KT									
	<ul style="list-style-type: none"> Practical accessory for clamping edges and difficult to reach areas Suitable for conventional screw clamps with a max. rail thickness of 13 mm 	KT5-1CP				4008158026176	40	V1	16,00
		KT5-2				4008158004587	20	V1	25,60
C-frame edge clamp KT									
	<ul style="list-style-type: none"> Three-spindle C-frame clamp Extra strong, with forged frame Universally applicable within the fields of wood and metal processing Suitable for welding 	KT8-3	80	80		4008158017600	5	V3	93,90
Panel carrier KFP									
	<ul style="list-style-type: none"> Load-bearing capacity 75 kg For the safe lifting and carrying of panels such as wood sheets, chipboard panels, glass and plexiglass High-friction rubber coating on the moving clamping jaws 	KFP	10-65			4008158031903	2	V3	123,90
Workbench adapter TW16AW									
	<ul style="list-style-type: none"> Accessories for BESSEY TWV and TW clamping elements with 16 hole system Suitable for all common workbenches with a hole system Can be used without tools The stud pin can be changed to use other hole systems *While stocks last 	TW16AW19				4008158039633	10	V3	13,30
		TW16AW20				4008158040059	10	V3	14,50
		TW16AW25*				4008158040073	10	V3	15,80
		TW16AW30				4008158040097	10	V3	17,20






		Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Clamping element with variable throat depth TWV									
	<ul style="list-style-type: none"> Clamping force up to 2,500 N Precise, individual clamping Tempered profile and sliding arm for sprung and elastic clamping Infinitely adjustable throat depth 	TWV16-20-15-2K	200	30-150	22 x 8,5	4008158038759	1	V3	66,50
	<ul style="list-style-type: none"> Various design versions: High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement 	TWV16-20-15K	200	30-150	22 x 8,5	4008158038773	1	V3	66,50
	<ul style="list-style-type: none"> Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping 	TWV16-20-15H	200	60-150	22 x 8,5	4008158038766	1	V3	91,70
Clamping element with fixed throat depth TW									
	<ul style="list-style-type: none"> Clamping force up to 3,000 N Precise, individual clamping Tempered profile and sliding arm for sprung and elastic clamping Various design versions: 	TW16-20-10-2K	200	100	22 x 8,5	4008158038681	1	V3	40,70
	<ul style="list-style-type: none"> High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement 	TW16-20-10K	200	100	22 x 8,5	4008158038704	1	V3	40,70
	<ul style="list-style-type: none"> Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping 	TW16-20-10H	200	100	22 x 8,5	4008158038698	1	V3	72,40
	Horizontal fixture clamp WNS-SET-MFT								
	<ul style="list-style-type: none"> Clamping force up to 750 N For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm Quick fixing thanks to clamping levers on the side Makes full-surface working of the workpiece possible – even round and flat parts Patented pull-down mechanism prevents the workpiece from lifting from the table surface when clamping – even without fastening screws BH-MFT can also be used as a universal limit stop for workpieces Includes: <ul style="list-style-type: none"> 2 x horizontal fixture clamp 2 x bench dog 4 x knurled nut 	WNS-SET-MFT				4008158041872	8	V3	75,00
	Bench dog for multifunctional tables BH-MFT								
	<ul style="list-style-type: none"> Accessory for BESSEY horizontal pull-down clamps WNS-SET-MFT For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm Can also be used as a universal limit stop for workpieces Includes: <ul style="list-style-type: none"> 4 x bench dog 4 x knurled nut 	BH-MFT				4008158041902	1	V3	12,90







BESSEY Price list valid from April 1st, 2022

	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
	Clamping element for multifunction tables TW-KLI							
	 <ul style="list-style-type: none"> • Clamping force up to 500 N • For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm • Stable sliding arm made of light magnesium for rapid, vibration-proof clamping • Profile made of cold-drawn quality steel for flexible and elastic clamping 	TW20-15-8-KLI	150	80	20 x 5	4008158041698	10	V3
Toggle clamp systainer STC-S-MFT								
 <ul style="list-style-type: none"> • Multi-functional systainer for installation technicians • With wood insert including 20 holes • And 3 different clamping options 	STC-S-MFT				4008158040691	1	V3	380,60
Adapter for multifunction tables STC-SET-T20								
 <ul style="list-style-type: none"> • For using the BESSEY toggle clamps on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm 	STC-SET-T20				4008158040288	10	V3	11,60
STC accessory set for multifunction tables								
 <ul style="list-style-type: none"> • For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm 	STC-HH50-T20	40			4008158040301	1	V3	40,70
	STC-HH70-T20	60			4008158040318	1	V3	41,50
	STC-IHH25-T20	35			4008158040325	1	V3	42,20
	STC-VH50-T20	40			4008158040332	1	V3	40,70
Seaming tool PS 130, big and strong								
 <ul style="list-style-type: none"> • For clamping and positioning large and potentially heavy components with a smooth surface, such as artificial stone, ceramic, granite, Corian®, plastic, sheet metal and glass • Manual vacuum pumps for maximum suction power, and therefore a maximum level of horizontal clamping force up to 1,200 N • Marking ring on the pump lever to permanently check for a reliable vacuum • Practical quick adjustment function for rapid adjustment of the distance between the two suction cups 	PS130	5-130			4008158035765	1	V3	603,60
Seaming tool PS 55								
 <ul style="list-style-type: none"> • For clamping and positioning components with a smooth surface, such as ceramic, granite, Corian®, plastic, sheet metal and glass, which require low clamping forces (up to 260 N) • Clamping levers on the suction cups ensure rapid handling • Cam lever to compensate for differing heights at the joint 	PS55	10-55			4008158027050	1	V3	256,30
Door frame clamp TU								
 <ul style="list-style-type: none"> • Gently and precisely braces and supports door casing during foam filling of wall joint • Telescopic square anodised aluminium tubing with mm scale and adjusting screw for precision work • Cross-shaped pressure plate with interchangeable clamping elements for frame depths of 6 to 13 cm or 13 to 30 cm • Removable clamping bracket with increased clamping surfaces and removable brackets to insert the door frame securely and easily 	TU	565-1010			4008158001302	2	V3	79,00




	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Door frame clamp set TU-TRAGE								
	<ul style="list-style-type: none"> In a nylon wheeled case or safe and dust-free storage and for easy transport Content: 6 (3 sets) door frame clamps for a total of 3 doors 	TU-TRAGE			4008158001319	1	V3	490,80
Door frame brace extension TUX								
	<ul style="list-style-type: none"> Accessories to increase the opening width of the TU door frame brace This enables extra-wide doors to be installed It can be used without tools in just a few steps 	TUX	1040-1960		4008158039398	1	V3	30,00
Door frame straightening clamp TFM								
	<ul style="list-style-type: none"> For quick, precise aligning and fixing of door frames The intelligent companion for the BESSEY door frame clamp TU and TMS 	TFM-2K		70	4008158040714	2	V3	33,20
Angle door frame straightening clamp WTR								
	<ul style="list-style-type: none"> For neatly fixed and stabilised frame corners For mounting at a precise 90° angle 	WTR	8-30		4008158026947	2	V3	85,30
Door frame assembly device TMS								
	<ul style="list-style-type: none"> Gently and precisely braces and supports door casing during foam filling of wall joint Telescopic round aluminium tube with adjusting screw for precision work With clamping elements on the clamping faces in order to secure struts in frames and to hold them at precise distances On carded hang pack 	TMS	560-1010		4008158026794	2	V3	38,60
Window installation clamp FRK								
	<ul style="list-style-type: none"> Permits rapid, precise straightening and fixing of window frames 	FRK85	40-85		4008158022321	4	V3	48,80
Pipe clamping set BPC								
	<ul style="list-style-type: none"> Suitable for steel pipes DN 20/R3/4 or DN 15/R1/2 Outer diameter 26.9 mm or 21.3 mm Infinitely-adjustable clamping width With stand On carded hang pack 	BPC-H12		40	4008158032382	4	V3	29,60
		BPC-H34		42	4008158032375	4	V3	32,70
Sash clamps TAN with I-profile 80 x 42 x 3.9 mm								
	<ul style="list-style-type: none"> Clamping force up to 24,000 N Easily adjustable pressure plates Removable crank handle Very sturdy thanks to I-profile 	TAN120	1200		4008158021577	1	V3	214,80
		TAN150	1500		4008158021584	1	V3	233,20
		TAN210	2100		4008158021607	1	V3	270,60
		TAN250	2500		4008158021614	1	V3	305,90
Sash clamps TB with T-profile 40 x 40 x 5 mm								
	<ul style="list-style-type: none"> Clamping force up to 14,000 N With attached locking bolt Tommy bar Sturdy thanks to T-profile 	TB100	1000		4008158007984	1	V3	112,50
		TB120	1200		4008158007991	1	V3	117,90
		TB150	1500		4008158008004	1	V3	127,30
		TB210	2100		4008158008028	1	V3	152,60
		TB250	2500		4008158008035	1	V3	175,70
Sash clamps TL, light with I-profile 37 x 11 x 4.5 mm								
	<ul style="list-style-type: none"> Clamping force up to 9,900 N Easily adjustable pressure plates Crank handle Very sturdy thanks to I-profile 	TL60	600		4008158040745	2	V3	44,90
		TL90	900		4008158040752	2	V3	56,60
		TL120	1200		4008158040769	2	V3	68,00
		TL180	1800		4008158040776	2	V3	92,80







BESSEY Price list valid from April 1st, 2022

	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
 <p>Spacer AV2 (4 pcs./bag)</p> <ul style="list-style-type: none"> • Quickly and infinitely adjustable for wall distances of 5 to 20 mm • Spacer for floating laminate and parquet flooring installations • Wide contact and support area for avoiding pressure points on the floorboards and plaster • Easy to remove by simply turning back • Very light and compact 	AV2	20			4008158035895	12	V3	10,90
	<p>Spacer PVA</p>							
 <ul style="list-style-type: none"> • Infinitely adjustable for wall distances of 7 to 35 mm • Front and lateral support when gluing solid wood floorings • Pull-down function dependent on the inclined angle of the spindle, with movable mounted pressure plate with protective cap • Extra wide contact area of 130 mm prevents edge damage to the floorboards 	PVA	35			4008158021164	6	V3	29,80
<p>Flooring and clamping system SVH/SVG</p>								
 <ul style="list-style-type: none"> • For laying parquet, laminated and panel flooring • SVH with spacer and band of high-strength polyester • SVH 400 and SVG – on carded hang pack 	SVH400	4000			4008158023274	1	V3	30,90
	SVH760	7600			4008158032108	1	V3	46,40
	SVG	4000			4008158026817	1	V3	24,80
 <p>Telescopic drywall support STE with pump grip</p> <ul style="list-style-type: none"> • Resilient up to a maximum of 350 kg when the telescopic rod is fully retracted • Extremely stable construction due to highly durable steel pipes and non-slip PVC contact surfaces (9 x 7 cm) • Single-handed operation thanks to 2-component plastic handle with pump mechanism • Quick-slide button for rapid extension and retraction of the telescopic bar • Controllable holding force by turning the support on the grip • Application also on slopes due to continuously swivelling contact surfaces from -45° to +45° • GS-certified for quality and safety 	STE250				4008158041254	2	V3	49,00
	STE300				4008158041261	2	V3	53,60
	STE370				4008158041278	2	V3	57,10
	<p>Telescopic drywall support ST</p>							
 <ul style="list-style-type: none"> • Resilient up to a maximum of 150 kg when the telescopic rod is fully retracted • Stable construction due to special steel pipes and anti-slip PVC contact surfaces (8,5 x 6,5 cm) • Application also on slopes due to continuously swivelable contact surfaces of -45° to +45° • Easy, safe handling due to a telescoping and locking inner pipe as well as an outer pipe that can be turned by the foam grip • GS-certified for quality and safety 	ST125				4008158031590	2	V3	27,60
	ST250				4008158040110	2	V3	33,60
	ST290				4008158031583	2	V3	36,60








	Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
NEW 	Multi-function/laser fixture STE-LH <ul style="list-style-type: none"> • Accessory with 1/4 thread for holding a laser, camera etc • Can be used without tools on round (0-45 mm) and angular (0-55 mm) support parts such as ceiling and assembly supports, profiles, ladders • L-shaped rotating fixture with 2 rotation axes: 360° next to fixing clamp, 180° at threaded connection • On carded hang pack 	STE-LH			4008158041469	8	V3	17,40
NEW 	Support plate STE-SP35 <ul style="list-style-type: none"> • Light aluminium profile with non-slip cellular rubber • For increasing the support surface of BESSEY ceiling and assembly supports ST (only in conjunction with replacement contact surface 3101952) and STE • Secure fastening onto the contact surfaces thanks to star grip screws • On carded hang pack 	STE-SP35			4008158041452	20	V3	15,20
NEW 	Replacement contact surface	3101952			4008158041544	1	V3	10,80
NEW 	Ceiling tripod attachment STE-DS <ul style="list-style-type: none"> • Accessory for ceiling supports with an outer diameter of the telescopic inner tube of 25 mm and 28 mm • For increasing the support surface • Even pressure thanks to the three-winged contact surfaces • Quick, tool-free installation • Safe to use as tipping of the contact surface is prevented by the all-round fixing of the steel pipe • On carded hang pack 	STE-DS			4008158041865	1	V3	19,20
NEW 	Construction tripod STE-BS <ul style="list-style-type: none"> • Accessory for ceiling supports with an outer pipe diameter of 29 mm and 32 mm • Stable stand as the force of the braced ceiling support acts downwards in places • Ceiling supports can even be placed freely in the room without a top bracing and can therefore also be used outdoors • Quick, tool-free installation • Light and stable structure thanks to aluminium profiles and glass-fibre reinforced plastic • On carded hang pack 	STE-BS			4008158041858	1	V3	49,90
NEW 	Combi-bag for ceiling supports STE-BAG <ul style="list-style-type: none"> • For convenient transport and protected storage of two BESSEY ceiling and installation supports STE300 and STE370 as well as the STE-LH and STE-SP35 accessories • Comfortable thanks to the padded shoulder strap and the possibility to adjust the length of the bag to the ceiling supports to be placed within • Easy to use due to the long zip-up case and four exterior pockets for additional storage space • Durable material • On carded hang pack 	STE-BAG			4008158041896	1	V3	69,00

BESSEY Price list valid from April 1st, 2022

		Reference no.	Opening mm	Throat depth mm	Rail mm	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Telescopic drywall support sales display ST18-D									
	<ul style="list-style-type: none"> • For equipping with 18 roof and assembly supports ST or STE • Professional sales display in solid steel design • The display can be refilled at any time • Space-saving format: approx. 50 x 40.3 x 100 cm • When ordering a display ST18-D, the set of hooks 3101973 – for attaching the accessories – is already included 	ST18-D				4008158040387	1	V3	0,00
Clamp trolley ZW 1									
	<ul style="list-style-type: none"> • Stable metal construction on castors • Dimensions 50 x 60 x 146 cm • Holds up to 90 clamps • Malleable cast iron-, all-steel- and lever clamps with clamping ranges between 120 and 600 mm • With label and label holder • Suitable as sales aid and for the workshop area 	ZW1				4008158017211	1	V3	468,10
		ZW1-A01				4008158032146	1	V2	1813,30
		ZW1-A01-2K				4008158032115	1	V2	1854,80
		ZW1-A99-2K				4008158032122	1	V1	1801,90
Clamp trolley ZW 2									
	<ul style="list-style-type: none"> • Stable metal construction on castors • Dimensions 100 x 60 x 153 cm • Holds up to 120 clamps, it even holds long screw clamps • Malleable cast iron and all-steel with clamping ranges between 200 and 2000 mm • With label and label holder • Suitable as sales aid and for the workshop area 	ZW2				4008158017228	1	V3	758,20
		ZW2-A99				4008158031699	1	V1	3458,90
		ZW2-A99-2K				4008158032139	1	V1	3536,40







		Reference no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Shape and straight cutting snips D39ASS									
 <ul style="list-style-type: none"> • For continuous, straight and curved cuts • Extremely compact cutter head with a partially countersunk head screw connection for increased manoeuvrability and precision for curved cuts • Joint area screwed connection with stud bolt, sintered disc and maintenance-free spring for extreme robustness • Reduced handle opening angle for optimised handling and an even cutting length • Central latch for easy operation without having to change your grip • Available in right or left cutting versions 	D39ASS	230	30	1,2	4010220031957	5	V4	82,80	
	D39ASSL	230	30	1,2	4010220031964	5	V4	82,80	
	D39ASS-SB	230	30	1,2	4010220032091	5	V4	83,80	
	D39ASSL-SB	230	30	1,2	4010220032107	5	V4	83,80	
Shape and straight cutting snips D29ASS-2									
 <ul style="list-style-type: none"> • ERGO-handle for increased comfort – reduced hand fatigue! • For continuous, straight and curved cuts • Compact cutter head: High manoeuvrability for shape cutting • Optimised leverage ratio: 25 % less effort • Optimised edge shape: No slipping even without serrations • Available in right or left cutting versions 	D29ASS-2	260	33	1,2	4010220030226	5	V4	71,00	
	D29ASSL-2	260	33	1,2	4010220030240	5	V4	71,00	
	D29ASS-2-SB	260	33	1,2	4010220030233	5	V4	72,00	
	D29ASSL-2-SB	260	33	1,2	4010220030257	5	V4	72,00	
Set of shape and straight cutting snips DSET29-15									
 <p>Contents: 1 x D29ASS-2 1 x D29ASSL-2 1 x D15A in snips pouch</p>	DSET29-15				4010220031339	1	V4	171,10	
Shape cutting snips D29SS-2									
 <ul style="list-style-type: none"> • ERGO-handle for increased comfort – reduced hand fatigue! • For short, straight and curved cuts • Edges with micro-serrations for slip-proof working • Available in right or left cutting versions 	D29SS-2	260	40	1,2	4010220030189	5	V4	67,80	
	D29SSL-2	260	40	1,2	4010220030202	5	V4	67,80	
Straight cutting snips D29BSS-2									
 <ul style="list-style-type: none"> • ERGO-handle for increased comfort – reduced hand fatigue! • For continuous, straight cuts • Edges with micro-serrations for slip-proof working • Available in right or left cutting versions 	D29BSS-2	260	33	1,2	4010220030264	5	V4	77,10	
	D29BSSL-2	260	33	1,2	4010220030288	5	V4	77,10	
Shape and straight cutting snips D27A									
 <ul style="list-style-type: none"> • For continuous, straight and curved cuts • Edges with micro-serrations for slip-proof working • Available in right or left cutting versions 	D27A	260	33	1,2	4010220019283	5	V4	56,80	
	D27AL	260	33	1,2	4010220019368	5	V4	56,80	
	D27A-SB	260	33	1,2	4010220024812	5	V4	57,80	
	D27AL-SB	260	33	1,2	4010220024829	5	V4	57,80	







BESSEY Price list valid from April 1st, 2022

	Reference no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR	
Shape cutting snips D27									
	• For short, straight and curved cuts • Edges with micro-serrations for slip-proof working • Available in right or left cutting versions	D27	260	40	1,2	4010220000069	5	V4	56,80
		D27L	260	40	1,2	4010220000076	5	V4	56,80
Straight cutting snips D27B									
	• For continuous, straight cuts • Edges with micro-serrations for slip-proof working • Available in right or left cutting versions	D27B	260	32	1,2	4010220000144	5	V4	61,40
		D27BL	260	32	1,2	4010220019467	5	V4	61,40
Shape and straight cutting snips, robust D17ASS/D17A									
	• For continuous, straight and curved cuts • Edges with micro-serrations for slip-proof working • Exceptionally robust: Drop-forged handles • Painted handles • Available in right or left cutting versions	D17ASS	240	24	1,5	4010220000243	5	V4	85,50
		D17ASSL	240	24	1,5	4010220000250	5	V4	85,50
		D17A	240	24	1,2	4010220019528	5	V4	72,70
		D17AL	240	24	1,2	4010220019559	5	V4	72,70
Ideal snips, manoeuvrable D08									
	• Special flat cutter head enables cutting in narrowest radius • For continuous, straight and curved cuts • Edges with micro-serrations for slip-proof working • Available in right or left cutting versions	D08	230	27	1,2	4010220000007	5	V4	45,20
		D08L	230	27	1,2	4010220000014	5	V4	45,20
		D08-SB	230	27	1,2	4010220024720	5	V4	46,20
		D08L-SB	230	27	1,2	4010220024737	5	V4	46,20
MULTISNIP Longstyle D22A									
	• For long continuous straight and large radius cuts • Extra long cutting blades, laterally displaced for continuous cuts • Available only in left cutting version	D22A	280	64	1,2	4010220028315	5	V4	52,80
		D22A-SB	280	64	1,2	4010220030745	5	V4	53,80
Aviation snips D16									
	• For short, straight and curved cuts • Edges with micro-serrations for slip-proof working • Left cut model available as well	D16	240	40	1,2	4010220019146	10	V4	31,40
		D16-SB	240	40	1,2	4010220024744	10	V4	32,40
Aviation snips D16L									
	• For short, straight and curved cuts • Edges with micro-serrations for slip-proof working • Right cut model available as well	D16L	240	40	1,2	4010220000038	10	V4	31,40
		D16L-SB	240	40	1,2	4010220024751	10	V4	32,40









		Reference no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Aviation snips D16S									
	<ul style="list-style-type: none"> No offset to blades, for short, straight and curved cuts with a large radius in both left and right directions Edges with micro-serrations for slip-proof working Available only in left cutting version 	D16S	240	44	1,2	4010220001509	10	V4	31,40
		D16S-SB	240	44	1,2	4010220024768	10	V4	32,40
Set of aviation snips DSET16									
	Contents: 1 x D16 1 x D16L 1 x D16S in snips pouch	DSET16				4010220031254	1	V4	94,20
Aviation snips display D16S-D									
	Contents: 12 x D16S in sales display	D16S-D				4010220031896	1	V4	376,80
Shape and straight cutting snips, small and manoeuvrable D15A									
	<ul style="list-style-type: none"> For long continuous, straight and curved cuts The extremely small forged heads have optimized blade geometry is very manoeuvrable; perfect for cutting small radii and in confined spaces The compact design results in the highest performance with the minimum of effort ERGO-handle for increased comfort reduced hand fatigue! Available in right or left cutting versions 	D15A	180	20	1	4010220031308	10	V4	29,10
		D15AL	180	20	1	4010220031353	10	V4	29,10
		D15A-SB	180	20	1	4010220031315	10	V4	30,10
		D15AL-SB	180	20	1	4010220031490	10	V4	30,10
Set of shape and straight cutting snips DSET15									
	Contents: 1 x D15A 1 x D15S 1 x D15AL in snips pouch	DSET15			1	4010220031582	20	V4	87,30
HSS-TiN shape and straight cutting snips D27AH-TiN									
	<ul style="list-style-type: none"> TiN coated cutter head for longer service life even in case of hard materials Case-hardened HSS edges For continuous, straight and curved cuts Available in right or left cutting versions 	D27AH-TiN	260	33	1,2	4010220002117	1	V6	301,00
		D27AHL-TiN	260	33	1,2	4010220002124	1	V6	301,00
HSS shape and straight cutting snips D27AH									
	<ul style="list-style-type: none"> For continuous, straight and curved cuts Edges made of case-hardened HSS Available in right or left cutting versions 	D27AH	260	33	1,2	4010220000274	1	V6	169,40
		D27AHL	260	33	1,2	4010220000281	1	V6	169,40
HSS punch snips D407									
	<ul style="list-style-type: none"> For short, straight and curved cuts Edges made of case-hardened HSS PVC dipped handles Available in right or left cutting versions 	D407-275	275	42	1	4010220000298	1	V6	116,40
		D407-275L	275	42	1	4010220000304	1	V6	116,40
		D407-300	300	43	1	4010220000311	1	V6	126,10
		D407-300L	300	43	1	4010220000328	1	V6	126,10










BESSEY Price list valid from April 1st, 2022

		Reference no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
HSS shape and straight cutting snips D416									
	<ul style="list-style-type: none"> For continuous, straight and curved cuts Cutting edges made of case-hardened HSS PVC dipped handles Available in right or left cutting versions 	D416-280	280	34	1	4010220000373	1	V6	153,10
		D416-280L	280	34	1	4010220000380	1	V6	153,10
HSS shape and straight cutting snips HSS D416-280L									
	<ul style="list-style-type: none"> For long continuous and straight cuts Cutting edges made of case-hardened HSS PVC dipped handles Available only in right cutting version 	D418-300	300	62	1	4010220000397	1	V6	160,20
		D418-350	350	65	1	4010220000403	1	V6	203,90
Shape and straight cutting snips D212/D116									
	<ul style="list-style-type: none"> For continuous, straight and curved cuts D216 – Painted handles D116 – PVC dipped handles Available in right or left cutting versions 	D216-260	260	30	1	4010220001295	5	V5	50,90
		D216-260L	260	30	1	4010220001301	5	V5	50,90
		D216-280	280	34	1	4010220020333	5	V5	57,80
		D216-280L	280	34	1	4010220020371	5	V5	57,80
		D116-260	260	30	1	4010220020258	5	V5	44,90
		D116-260L	260	30	1	4010220001264	5	V5	44,90
		D116-260-SB	260	30	1	4010220024874	5	V5	45,90
		D116-260L-SB	260	30	1	4010220024881	5	V5	45,90
		D116-280	280	34	1	4010220020302	5	V5	51,10
		D116-280L	280	34	1	4010220020326	5	V5	51,10
D116-280-SB	280	34	1	4010220024898	5	V5	52,10		
D116-280L-SB	280	34	1	4010220024904	5	V5	52,10		
Set of standard tin snips DSET-SF3									
	Contents: 1 x D216-280 1 x D216,280L 1 x D218-300 in snips pouch	DSET-SF3				4010220022030	1	V5	172,40
Shape and straight cutting snips D216...-SBSK									
	<ul style="list-style-type: none"> For continuous, straight and curved cuts With no opening stop and with extra pointed cutter head Edges with micro-serrations for slip-proof working Particularly robust, for unusually challenging situations: Snips completely tempered and burnished. Cutter inductively hardened PVC dipped handles Available in right or left cutting versions On carded hang pack 	D216-280-B-SBSK	280	34	1	4010220025697	5	V5	59,50
		D216-280L-B-SBSK	280	34	1	4010220025703	5	V5	59,50
Pelican snips D218/D118									
	<ul style="list-style-type: none"> For long continuous and straight cuts Extra long blade is ideal for cutting through metal sheets D218 – Painted handles D118 – PVC dipped handles Available as right cutter (in 300 mm dimension also available as left cutter) 	D218-300	300	62	1	4010220020555	5	V5	56,80
		D218-300L	300	62	1	4010220001424	5	V5	56,80
		D218-350	350	65	1	4010220001448	5	V5	67,20
		D118-300	300	62	1	4010220020517	5	V5	42,80
		D118-300L	300	62	1	4010220001387	5	V5	42,80
		D118-300-SB	300	62	1	4010220025345	5	V5	43,80
		D118-300L-SB	300	62	1	4010220030110	5	V5	43,80
D118-350	350	65	1	4010220001400	5	V5	50,30		










	Reference no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Shape cutting punch snips D214/D114								
 <ul style="list-style-type: none"> • For short, straight and curved cuts (especially small radii) • Very slick cutting head • D214 – Painted handles • D114 – PVC dipped handles • Available in right or left cutting versions *While stocks last 	D214-250	250	37	1	4010220001134	5	V5	40,00
	D214-250L	250	37	1	4010220001141	5	V5	40,00
	D214-275*	275	43	1	4010220001158	5	V5	44,90
	D114-250	250	37	1	4010220024607	5	V5	28,30
	D114-250L	250	37	1	4010220001080	5	V5	28,30
Punch snips D207/D107								
 <ul style="list-style-type: none"> • For short, straight and curved cuts • D207 – Painted handles • D107 – PVC dipped handles • Available in right or left cutting versions 	D207-250	250	42	1	4010220020012	5	V5	36,40
	D207-250L	250	42	1	4010220000878	5	V5	36,40
	D207-275	275	42	1	4010220000885	5	V5	40,10
	D207-275L	275	42	1	4010220000892	5	V5	40,10
	D207-300	300	47	1	4010220000908	5	V5	45,20
	D207-300L	300	47	1	4010220000915	5	V5	45,20
	D107-225	225	38	1	4010220000762	5	V5	24,20
	D107-225-SB	225	38	1	4010220025161	5	V5	25,20
	D107-250	250	42	1	4010220019832	5	V5	25,90
	D107-250L	250	42	1	4010220000786	5	V5	25,90
	D107-250-SB	250	42	1	4010220025178	5	V5	26,90
	D107-250L-SB	250	42	1	4010220025185	5	V5	26,90
	D107-275	275	42	1	4010220019900	5	V5	28,30
	D107-275L	275	42	1	4010220019955	5	V5	28,30
D107-300	300	47	1	4010220019986	5	V5	31,00	
D107-300L	300	47	1	4010220000823	5	V5	31,00	
Punch snips with curved blades D208								
 <ul style="list-style-type: none"> • Especially for circular cuts • Semi-circular edges • Painted handles • Available in right or left cutting versions 	D208-275	275	40	1	4010220001035	5	V5	87,40
	D208-275L	275	40	1	4010220020111	5	V5	87,40
Universal snips D106								
 <ul style="list-style-type: none"> • For straight and curved cuts • PVC dipped handles • Available only in right cutting version 	D106-250-SB	250	68	1	4010220030905	5	V5	31,60
Universal snips with wide blade D106A								
 <ul style="list-style-type: none"> • For straight and curved cuts (large radii) • PVC dipped handles • Available only in right cutting version 	D106A-250-SB	250	67	1	4010220025635	5	V5	32,00
Berlin pattern snips D202/D102								
 <ul style="list-style-type: none"> • For straight cuts • D202 – Painted handles • D102 – PVC dipped handles • Available only in right cutting version 	D202-250	250	60	1	4010220000571	5	V5	30,50
	D202-300	300	79	1	4010220000595	5	V5	38,20
	D102-225	225	55	1	4010220000502	5	V5	20,60
	D102-250	250	60	1	4010220000519	5	V5	21,60
	D102-250-SB	250	60	1	4010220024843	5	V5	22,60
	D102-300	300	79	1	4010220000533	5	V5	26,90









BESSEY Price list valid from April 1st, 2022

		Reference no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
American pattern snips D146									
	<ul style="list-style-type: none"> • For straight cuts • Available only in left cutting version • PVC dipped handles 	D146-200	200	41	1	4010220023334	6	V5	17,10
		D146-250	250	54	1	4010220023341	6	V5	19,70
		D146-300	300	68	1	4010220023358	6	V5	25,30
		D146-350	350	72	1	4010220023365	6	V5	34,30
Display, unstocked DVK									
	<ul style="list-style-type: none"> • Wire display for up to 42 snips, 6 different types of snips • With label, adhesive label and scanner rail • For counter and perforated panel 	DVK				4010220030998	1	V6	162,90
Display, unstocked DVK2									
	<ul style="list-style-type: none"> • Wire display for up to 10 snips, 2 different types of snips • With advertising plate and sticker for D39ASS and D39ASSL or neutral for other snips types • For counter and perforated panel 	DVK2				4010220032114	1	V6	58,80
Strong multi-purpose cutters D52-2									
	<ul style="list-style-type: none"> • Cutting edge and handle forged in one piece for high stability • Edges with serrations for slip-proof working • ERGO-handle for increased comfort – reduced hand fatigue • Blades are sandblasted and chromium-plated for corrosion protection • Cuts cold-rolled steel up to 0.6 mm thick • On carded hang pack 	D52-2	200	53		4010220031971	10	V5	22,50
MULTISNIP Master D51A									
	<ul style="list-style-type: none"> • For long continuous straight and curved cuts • All metal parts are made of stainless steel • Handle made of robust fibreglass-reinforced plastic with a soft material insert • On carded hang pack 	D51A	235	50	0,4	4010220028933	5	V5	20,50
Combinox D50									
	<ul style="list-style-type: none"> • Stainless steel blades • Ergonomically designed handles with soft-insert • With wire guide for cutting binding wire to Ø 2.5 mm • Circular cutting to stop for stripping cable from Ø 1.0 to 1.5 mm • On carded hang pack 	D50	190	40		4010220018439	10	V5	24,10
Multi-purpose cutters D47-2/D48-2									
	<ul style="list-style-type: none"> • ERGO-handle for increased comfort – reduced hand fatigue! • Stainless steel blades • On carded hang pack 	D47-2	140	31		4010220030172	15	V5	16,90
		D48-2	190	42		4010220030141	10	V5	18,50
Angled combi snips D48A-2									
	<ul style="list-style-type: none"> • ERGO-handle for increased comfort – reduced hand fatigue! • Stainless steel blades • Offset blades • On carded hang pack 	D48A-2	190	36		4010220030165	10	V5	19,40










		Reference no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Cable cutters D49-2									
	<ul style="list-style-type: none"> • ERGO-handle for increased comfort – reduced hand fatigue! • For multicore cables with diameter up to 10 mm • Stainless steel blades • On carded hang pack 	D49-2	165			4010220030158	10	V5	19,40
Multi-purpose cutters D47/D48									
	<ul style="list-style-type: none"> • Stainless steel blades • Edges with serrations for slip-proof working • On carded hang pack 	D47	140	31		4010220024478	15	V5	13,70
		D48	190	42		4010220024522	10	V5	14,90
Angled combi snips D48A									
	<ul style="list-style-type: none"> • Stainless steel blades • Offset blades • Edges with serrations for slip-proof working • On carded hang pack 	D48A	190	38		4010220024539	10	V5	16,00
Cable cutters D49									
	<ul style="list-style-type: none"> • For multicore cables with diameter up to 10 mm • Stainless steel blades • On carded hang pack 	D49	160			4010220024454	10	V5	16,00
Folding utility knife DBK-EU									
	<ul style="list-style-type: none"> • Comfortable plastic handle • Thumb cushion for max. contact pressure • Blade compartment with 5 replacement blades included • Quick blade exchange • Belt clip • On carded hang pack 	DBKPH-EU	160	28		4010220030509	12	V6	23,30
	<ul style="list-style-type: none"> • High quality wooden handle • Quick blade exchange • Belt clip • On carded hang pack 	DBKWH-EU	160	28		4010220030516	12	V6	21,70
	<ul style="list-style-type: none"> • Light weight aluminium handle • Quick blade exchange • Belt clip • On carded hang pack 	DBKAH-EU	160	28		4010220030523	12	V6	20,30
Knife-set DBKPH-SET									
	<ul style="list-style-type: none"> • Knife with comfortable plastic handle • Practical nylon zip-up case • Four different blades for different tools • On carded hang pack 	DBKPH-SET				4010220030752	8	V6	34,50
Spare blades DBK									
	<ul style="list-style-type: none"> • Suitable for all BESSEY bladed folding utility knives • On carded hang pack 	DBK-T	60			4010220030790	50	V6	3,90
		DBK-H	50			4010220030806	50	V6	6,30
		DBK-L	87			4010220030813	50	V6	6,80



BESSEY Price list valid from April 1st, 2022

		Reference no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
	Multitool DBST								
	<ul style="list-style-type: none"> • 1 Multitool with 7 options: Shears, blade, saw, file, Phillips head screwdriver and large and small slotted screwdriver • Cuts: Leather, rope, vinyl, thin cable, cord, thin plastic, paper and much more besides • With a robust belt pouch for secure, it provides handy storage • Stainless steel handle with soft cushioned elements for slip-free work • On carded hang pack 	DBST		55		4010220031483	8	V6	31,40
	Jewellers' snips D70/D71								
	<ul style="list-style-type: none"> • Closed handles • Completely nickel coated 	D70-1	180	31		4010220001875	12	V5	14,20
		D71-1	175	32		4010220001899	12	V5	16,10
	Jewellers' snips D72								
	<ul style="list-style-type: none"> • Open handles • Completely nickel coated 	D72-1	180	31		4010220001912	12	V5	14,20
	Jewellers' snips D74/D75								
	<ul style="list-style-type: none"> • With handle loops • Completely nickel coated 	D74-1	180	34		4010220001950	12	V5	13,90
		D75-1	175	33		4010220001974	12	V5	16,10
	Jewellers' snips D76								
	<ul style="list-style-type: none"> • Closed handle with spring • Completely nickel coated 	D76-1	180	26		4010220001998	12	V5	16,30
	Multi-purpose shears D820								
	<ul style="list-style-type: none"> • Stainless steel blades • Comfortable handles loops with soft cushion inserts • On carded hang pack 	D820-200	200	80		4010220029985	12	V5	15,20
		D820-250	250	105		4010220029992	12	V5	20,80
	Multi-purpose shears D821								
	<ul style="list-style-type: none"> • Stainless steel blades • Comfortable handles loops with soft cushion inserts • On carded hang pack 	D821-160	160	70		4010220002537	12	V5	11,40
		D821-180	180	80		4010220002544	12	V5	13,60
	Electricians' scissors D53								
	<ul style="list-style-type: none"> • Nickel plated serrated blades • With a wire cutter 	D53	125	40		4010220002063	12	V5	14,20
	Household and dressmakers' shears D840								
	<ul style="list-style-type: none"> • Completely nickel coated 	D840-150	150	50		4010220002612	12	V5	10,90
		D840-180	180	77		4010220002629	12	V5	14,20

		Reference no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Paperhangers' and paper shears D853									
	<ul style="list-style-type: none"> • Completely nickel coated 	D853-200	200	95		4010220002766	12	V5	18,20
Industrial and professional shears D860									
	<ul style="list-style-type: none"> • Robust design • Black handle • Oblong and round handle loops 	D860-200	200	80		4010220024553	6	V5	19,00
		D860-225	225	85		4010220002827	6	V5	23,80
		D860-250	250	90		4010220024560	6	V5	29,40
Safety strap cutter D123S									
	<ul style="list-style-type: none"> • One-handed operation with little effort thanks to double leverage • Metal fastening will not spring up dangerously due to safety hold mechanism in the snip • Flat lower jaw easily slips under taut banding • Can even be used with hardened steel belts (560 N/mm²) with belt widths up to 32 mm, belt thicknesses up to 1 mm • Induction hardened cutting edge for a long service life • ERGO-handle for increased comfort – reduced hand fatigue! 	D123S	260	38		4010220030981	5	V5	142,80
		D123S-SB	260	38		4010220031018	5	V5	143,80
Steel strap cutter D122N									
	<ul style="list-style-type: none"> • The lower holder prevents band ends from springing up • For band width up to 25 mm, band thickness up to 0.6 mm • Flat lower jaw easily slips under taut banding • Painted handles 	D122N	225	31		4010220020616	5	V5	39,40
Steel strap cutter D122A									
	<ul style="list-style-type: none"> • Flat lower jaw easily slips under taut banding • High price to performance ratio • For band width up to 25 mm, band thickness up to 0.6 mm • PVC dipped handles 	D122A	260	30		4010220001585	5	V5	36,20
		D122A-SB	260	30		4010220030912	5	V5	37,20
Seaming and clinching pliers D33/D34/D35									
	<ul style="list-style-type: none"> • Forged in quality steel • Black powder coated • Minimum jaw depth straight 60 mm • Minimum jaw depth bent 50 mm 	D33-60	280			4010220003091	6	V6	76,60
		D331-40	280			4010220027424	6	V6	56,40
		D331-60	280			4010220003114	6	V6	45,20
		D331-80	320			9002793006147	5	V6	90,50
		D34-60	270			4010220003145	6	V6	87,70
		D341-40	270			4010220027431	6	V6	68,10
		D341-60	270			4010220021989	6	V6	48,30
		D341-80	320			9002793006208	5	V6	101,00
		D35-60	255			4010220003183	6	V6	91,40
		D351-60	255			4010220003190	6	V6	55,10

BESSEY Price list valid from April 1st, 2022

		Reference no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Seaming and clinching pliers D33-P/D34-P/D35-P									
	<ul style="list-style-type: none"> • Forged in quality steel • Black powder coated • PVC-coated handle • Minimum jaw depth straight 60 mm • Minimum jaw depth bent 50 mm 	D33-60-P	280			4010220021927	6	V6	78,30
		D331-60-P	280			4010220021941	6	V6	46,90
		D34-60-P	270			4010220021972	6	V6	89,40
		D341-60-P	270			4010220022009	6	V6	50,00
		D35-60-P	255			4010220022047	6	V6	93,10
		D351-60-P	255			4010220022078	6	V6	56,80
Mini-folding pliers D331-22/D341-22									
	<ul style="list-style-type: none"> • For small and precise seaming – and bending operations • Forged from quality steel • PVC-coated handles • Completely hardened • Jaw depth straight 30 mm • Jaw depth bent 28 mm 	D331-22	180			4010220002575	10	V6	47,40
		D341-22	180			4010220002681	10	V6	53,00
Flat-nosed pliers for sheet metal work D301									
	<ul style="list-style-type: none"> • Forged from quality steel • PVC-coated handles • Flat jawed pliers • Jaw depth 45 mm • Serration every 0.8 mm 	D301	240			4010220003015	6	V6	44,80
Round nosed pliers D311									
	<ul style="list-style-type: none"> • Forged from quality steel • PVC-coated handles • Round jawed pliers • Jaw depth 50 mm • Serration every 1 mm 	D311	260			4010220003039	6	V6	44,80
Folding pliers D355									
	<ul style="list-style-type: none"> • Forged from quality steel • Bronzed • PVC-coated handles 	D355	250			9002793211008	5	V6	67,00
Corner seaming and clinching pliers D335									
	<ul style="list-style-type: none"> • Forged from quality steel • Bronzed • PVC-coated handles • Jaw depth 65 mm 	D335	280			9002793211398	5	V6	96,80
Squeeze-folding pliers D336									
	<ul style="list-style-type: none"> • Forged in quality steel • Burnished • PVC-coated handles • Jaw depth 80 mm 	D336	320			9002793211435	5	V6	141,40

	Reference no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Pipe-pulling pliers D36								
	<ul style="list-style-type: none"> • 3 bottom- and 2 top jaws enable quick and efficient work • Self-opening • Completely galvanised • PVC-coated handles • Jaw depth 28 mm 	D36	250		4010220002407	1	V6	47,10
Gutter support bowing pliers open shap D396								
	<ul style="list-style-type: none"> • 10 mm recess width for gutter irons up to 40 x 6 mm • Head made of rust-proof malleable cast iron • Gliding role for protecting the plastic-coated gutter irons 	D396	680		4010220002704	1	V6	122,50



E-Newsletter



<http://www.bessey.de>



http://www.instagram.com/besseytool_official



<https://www.facebook.com/BESSEY.Tool.Einfach.Besser>



<http://www.youtube.com/user/besseytoolsdeutsch>



<https://www.bessey.de/en-GB/BESSEY-Tool/News/Newsletter-Sign-Up>

www.bessey.de

BESSEY Tool GmbH & Co. KG ■ Mühlwiesenstraße 40
74321 Bietigheim-Bissingen, Germany
Fon +49 7142 401-0 ■ Fax: +49 7142 401-452
E-Mail: info@bessey.de

Inhaltsverzeichnis

BESSEY Price list valid from April 1st, 2022